

Material and shopping checklist

For walls with tile coverings, you will need the following materials:

- Schlüter®-JOLLY, -RONDEC or -QUADEC
- Schlüter®-RONDEC or -QUADEC inside corners
- Schlüter®-RONDEC or -QUADEC outside corners
- Schlüter®-DESIGNLINE border profiles

- Tile
- Grout
- Dry-set mortar (tile adhesive)

Your retail store:

Schlüter® Finishing Profiles delivery units

Materials		JOLLY	RONDEC	QUADEC	DESIGN-LINE
Stainless steel	E	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel, brushed	EB	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel, polished	EP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel, 1.4404 (V4A)	EV4A	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brass	M	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brass chrome plated	MC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium	A	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium satin anodised	AE	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium polished chrome anod.	ACG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brushed chrome anod.	ACGB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brass anodised	AM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium polished brass anodised	AMG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brushed brass anodised	AMGB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium satin copper anodised	AK	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium polished copper anod.	AKG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brushed copper anod.	AKGB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium satin titanium anodised	AT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium polished titanium anod.	ATG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brushed titanium anod.	ATGB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium brushed graphite black	AGSB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium cross brushed anodised natural	AEX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium cross brushed brass anodised	AMX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium cross brushed titanium anodised	ATX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium cross brushed quartz grey anodised	AQGX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium colour coated	AC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aluminium tuscan textured coating	TS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PVC colour coated		<input type="checkbox"/> (P)	<input type="checkbox"/> (PRO, PRG)	<input type="checkbox"/> (PO)	<input type="checkbox"/>

* available as Schlüter®-SCHIENE

Other system solutions

Would you like to know more about Schlüter® products and system solutions for tile installation? The following brochures are available from our distribution partners. For more information, please visit our website at www.schluter.co.uk.




Schlüter®-DILEX
Profile system for permanently maintenance free movement joints and perimeter joints



Schlüter®-KERDI
Secure waterproofing in just a few steps



Schlüter® Balcony Systems:
Complete solutions for new construction and renovation of balconies and terraces



Schlüter®-DITRA 25
Waterproofing and uncoupling membrane for tile installations on problematic substrates (e.g., wood, plaster, or cracked substrates)



Schlüter®-TREP
Slip resistant stair nosing profiles



Schlüter®-BEKOTEC-THERM
The ceramic thermal comfort floor



Edge protection and design options for tiled walls



Walls with decorative profiles



The manufacture of ceramic tiles with glazed edges is not common these days. The consequence: the grey or brown body of the tile is visible at the outside corners of walls or at the edges of skirting and transitions to other coverings, thus spoiling the otherwise beautiful appearance of a tile installation. This is where the Schlüter®-RONDEC, -QUADEC and -JOLLY finishing profiles come in.

These profiles provide decorative edging while protecting corners and edges effectively from damage. In addition, the profiles can be combined with border profiles by Schlüter-Systems in matching colours.

Functionality and design



The finishing profiles Schlüter®-JOLLY (left) and Schlüter®-RONDEC (right) add beautiful finishing touches to tiled areas.



Perfect edge protection

in a few easy steps:



1. Select **Schlüter®-RONDEC**, **-QUADEC** and **-JOLLY** according to tile thickness.
2. Using a notched trowel, apply tile adhesive over the area where the profile is to be placed. For outside wall corners, tile one wall first; then apply the adhesive to the corner area of the second wall.
3. Press the trapezoid perforated anchoring leg firmly into the setting bed and align. Trowel additional tile adhesive over the leg to ensure full coverage and support of the tile edges.
4. Firmly press the adjoining tiles into place and adjust them so that the tiled surface is flush with the top of the profile. In the profile area, tiles must be fully embedded in the tile adhesive.

Perfect edge protection

in a few easy steps:

5. Abut the tile to the integrated joint spacer to ensure a uniform joint of 1.5 mm. For stainless steel profiles, leave a joint of approximately 1.5 mm. Fill the joint cavity completely with grout.
6. Matching corner pieces are available for inside and outside corners. They allow for a fast, clean installation without mitre cuts.

Profiles for decoration and protection

Schlüter®-RONDEC, -QUADEC and -JOLLY are finishing profiles for outside wall corners of tile coverings. A variety of materials, colours, and surface finishes allow for a perfect match with tile and grout colours and can be used to create interesting contrasts. The profiles protect tile edges from damage. The stainless steel version can be used as a finishing profile for floor coverings or as stair nosing. The profiles can also be used as a finishing profile at corners or skirtings for other materials such as carpet or parquet.




Schlüter®-DESIGNLINE

Schlüter®-DESIGNLINE is a border profile for creating decorative designs in wall coverings.

It is available in stainless steel, chrome plated brass and anodised aluminium. Choose from a wide variety of matt, polished, and brushed surface options. The profiles can be combined at outside wall corners with the colour and finish coordinated Schlüter®-RONDEC and -QUADEC profiles.



Schlüter®-DESIGNLINE



stainless steel, design 1, square check

stainless steel, design 2, leather texture