

Schlüter®-Systems

Supplementary Price List Autumn 2023

Export · Effective 1st October 2023



2023

BARA profiles now available in additional colours

New colour anthracite grey finish

The Schlüter-BARA product range is sure to include the right finishing profile for your balcony or terrace. Our eight most popular BARA profiles are now available in additional colours to give you an even greater design selection. The below overview shows which colours have been added for specific profiles.

- ✓ New colour anthracite grey finish
- ✓ Various profiles in brilliant white and black brown
- ✓ Even greater selection for individual design
- ✓ Matches current styles in ceramic tile and natural stone
- ✓ Proven BARA quality




Please refer to our main price list PS 23 for further information on BARA products.

| | | |
|-----------------------------|----------|----------|
| Schlüter®-BARA-RAK | Page 304 | AG |
| Schlüter®-BARA-RAKEG | Page 306 | AG BW SB |
| Schlüter®-BARA-RKK | Page 307 | AG BW |
| Schlüter®-BARA-RW | Page 308 | AG |
| Schlüter®-BARA-RKB | Page 310 | AG BW SB |
| Schlüter®-BARA-RT | Page 311 | AG |
| Schlüter®-BARA-RWL | Page 313 | AG BW SB |
| Schlüter®-BARA-RKL | Page 314 | AG BW |



For ordering, complete the art. no. by adding the new colour, e.g. RAK 50 AG.




Schlüter®-DITRA-HEAT-E-CHC

Intelligent solution for energy-efficient buildings

Schlüter-DITRA-HEAT-E-CHC is an electrical heating cable for installation in the uncoupling membrane Schlüter-DITRA-HEAT.

With a heat output of 7.5 W/m, the cable is specially designed for use in energy-efficient buildings or spaces.

- ✓ Fewer power consumption peaks due to lower electric capacity
- ✓ Ideal for energy-efficient buildings
- ✓ Suited for floor coverings such as tile, parquet or vinyl
- ✓ Proven installation practice



Heating cable

Schlüter®-DITRA-HEAT-E-CHC

7.5_{W/m}



Schlüter-DITRA-HEAT-E-CHC is an electrical heating cable designed to be used with the uncoupling membrane Schlüter-DITRA-HEAT. With a heat output of 7.5 W/m, the cable is an intelligent solution for energy-efficient buildings.

(Product data sheet 6.6)



Schlüter®-DITRA-HEAT-E-CHC



heating cable

| L (m) | Heated floor, 80 W/m ² * | Heated wall, 120 W/m ² ** | Watts | Art. No. | € / U. | P (Unit) |
|--------|-------------------------------------|--------------------------------------|-------|--------------|----------------|----------|
| | m ² | m ² | | | | |
| 4 | 0.4 | 0.25 | 30 | DH E CHC 4 | 119.88 | 10 |
| 6.76 | 0.6 | 0.43 | 51 | DH E CHC 6 | 127.36 | 10 |
| 12.07 | 1.1 | 0.7 | 91 | DH E CHC 12 | 196.65 | 10 |
| 17.66 | 1.6 | 1 | 132 | DH E CHC 17 | 232.52 | 10 |
| 23.77 | 2.2 | 1.5 | 178 | DH E CHC 23 | 259.10 | 10 |
| 29.87 | 2.7 | 1.8 | 224 | DH E CHC 29 | 305.62 | 10 |
| 35.97 | 3.3 | 2.2 | 270 | DH E CHC 35 | 352.10 | 10 |
| 41.56 | 3.8 | 2.6 | 312 | DH E CHC 41 | 391.95 | 10 |
| 47.67 | 4.4 | 2.9 | 358 | DH E CHC 47 | 449.11 | 10 |
| 53.77 | 5 | 3.3 | 403 | DH E CHC 53 | 498.29 | 10 |
| 59.87 | 5.5 | 3.7 | 449 | DH E CHC 59 | 531.49 | 10 |
| 71.57 | 6.6 | 4.4 | 537 | DH E CHC 71 | 611.20 | 10 |
| 83.77 | 7.7 | 5.1 | 628 | DH E CHC 83 | 717.51 | 10 |
| 95.47 | 8.8 | 5.9 | 716 | DH E CHC 95 | 817.14 | 10 |
| 107.67 | 10 | 6.6 | 808 | DH E CHC 107 | 896.89 | 10 |
| 136.16 | 12.7 | 8.4 | 1021 | DH E CHC 136 | 1075.07 | 10 |
| 164.07 | 15 | 10 | 1231 | DH E CHC 164 | 1285.95 | 10 |
| 192.27 | 17.7 | 11.8 | 1442 | DH E CHC 192 | 1504.57 | 10 |
| 216.27 | 20 | 13.2 | 1622 | DH E CHC 216 | 1691.04 | 10 |
| 244.37 | 22.7 | 15.1 | 1833 | DH E CHC 244 | 1896.79 | 10 |

* for use in floor and wall areas ** for use in wall areas only

Note:

Heating cables must not be shortened.

When selecting the heating cable, please note that the table indicates the heated space in m², not the room size.

To determine the heated space, deduct unheated zones such as perimeter areas and storage space from the room size.



Schlüter®-KERDI


Bonded waterproofing you can count on

Schlüter-KERDI has been a proven bonded waterproofing solution for tile and natural stone coverings for over 30 years. We offer a complete system of waterproofing membranes, sealing bands and the KERDI-COLL sealing adhesive for quickly building permanently reliable bonded waterproofing assemblies. Our assortment also includes special prefabricated parts for internal and external corners, which can now be bought in a new packaging unit with 50 pieces.



Corner seal

Schlüter®-KERDI-KERECK-F



Schlüter-KERDI-KERECK-F are completely seam sealed, prefabricated parts to create internal and external corners. (Product data sheet 8.1)



Schlüter®-KERDI-KERECK-F/A

90° external corner, prefabricated

| Thickness (mm) | Package = 2 units Art. No. | € / Package | P (Package) |
|----------------|-------------------------------|----------------|----------------|
| 0.1 | KERECK / FA2 | 22.04 | 10 |
| | Package = 10 units | | |
| 0.1 | KERECK / FA10 | 92.99 | 10 |
| | Package = 50 units | | |
| ★ 0.1 | KERECK / FA50 | 410.00 | 10 |

Schlüter®-KERDI-KERECK-F/I

90° internal corner, prefabricated

| Thickness (mm) | Package = 2 units Art. No. | € / Package | P (Package) |
|----------------|-------------------------------|----------------|----------------|
| 0.1 | KERECK / FI2 | 18.83 | 10 |
| | Package = 10 units | | |
| 0.1 | KERECK / FI10 | 77.23 | 10 |
| | Package = 50 units | | |
| ★ 0.1 | KERECK / FI50 | 360.50 | 10 |



General Terms and Conditions



Exclusively subject to our General Terms and Conditions, which can be downloaded in the latest version from schlueter-systems.com/agb or which we will gladly send to you upon request.

Key

Innovations



New product

Packaging units

PL = euro pallet

KV = case packaging

BV = bundle

All profiles are packaged in bundles of 10, unless specifically noted otherwise.

P = box packaging

R = roll

Unit = units

Dimensions

H = height

L = length

B = width

T = depth



schlueter-systems.com



Subject to the Standard Terms and Conditions of Sale of Schlüter-Systems KG.

Errors, changes, and printing mistakes as well as changes necessary in the interest of product innovation or shipping reserved. For reasons of printing, colours shown in this price list may differ from actual product colours.



PROFILE OF INNOVATION