

EASY – QUICK – NEAT

Schlüter®-DITRA-HEAT *PEEL & STICK*



Quick and easy installation of DITRA-HEAT thanks to peel-and-stick technology

With suitable substrates, a self-adhesive variant is an especially easy alternative to conventional DITRA-HEAT that saves valuable time and materials. Since the new DITRA-HEAT-PS (Peel & Stick) features a self-adhesive anchoring fleece laminated to the underside, no tile adhesive is required underneath the mat. That makes the installation especially easy and saves significant amounts of material and time. All other functions of the proven DITRA-HEAT mat remain unchanged.



EASY

Peel off the adhesive liner and set in place (mat can be repositioned during installation until pressure is exerted)




QUICK

No mixing and spreading of tile adhesive, immediately load bearing after installation



NEAT

No soiling from mixing and spreading tile adhesive, no trowels, buckets and tools to clean



All benefits at a glance:

- ✓ Self-adhesive anchoring fleece
- ✓ Quick and easy to install
- ✓ Easy to reposition during installation
- ✓ Suitable for many substrates (e.g. wood, screed, concrete)
- ✓ Saves time and material
- ✓ Immediately load bearing after installation
- ✓ Uncouples the covering from the substrate
- ✓ Easy installation of matching heating cables
- ✓ Also available as DITRA-HEAT-DUO-PS with additional impact sound insulation and faster heat-up response

AVAILABLE SIZES

Schlüter®-DITRA-HEAT-PS

Rolls: 12.76 x 0.98 m = 12.5 m²

Mats: 0.80 x 0.98 m = 0.78 m²

Schlüter®-DITRA-HEAT-DUO-PS

Rolls: 10.2 x 0.98 m = 10.0 m²

Mats: 0.80 x 0.98 m = 0.78 m²



Learn more on the Internet:



Schlüter-Systems KG · Schmölestraße 7 · D-58640 Iserlohn

Tel.: +49 2371 971-1261 · Fax: +49 2371 971-1112 · info@schlueter.de · www.schlueter-systems.com

Schlüter-Systems Ltd · Units 3-5 Bardon 22 Industrial Estate · Beveridge Lane · Coalville · Leicestershire · LE67 1TE

Tel.: +44 1530 813396 · Fax: +44 1530 813376 · sales@schluter.co.uk · www.schluter.co.uk