





# Bathroom ordering guide

2026

## Schlüter®-KERDI-LINE-VARIO linear drainage

Horizontal drain with individually adjustable drain profiles

| Floor drainage set with wave-shaped drain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |       | Min. assembly height |             | Quantity    | Art. No. |                                  |                                                                                      |                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------|-------------|-------------|----------|----------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| KERDI-LINE-VARIO-H 40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | DN 40 | 65 mm                |             |             |          | KL VR H40 G5                     |   |                                                                                       |
| Slim drainage profiles, low assembly height (65 mm upper edge screed height), drain performance 0.5 l/s in accordance with DIN EN 1253, secure connection to the bonded waterproofing with Schlüter system, tested with German technical approval (abP), simple cleaning due to smooth-walled base body without dead spaces, with best hygiene properties, simple modular system for optimised storage, easy, safe installation, two designs, WAVE or COVE with two lengths: 120 or 180 cm and nine TRENDLINE colours + stainless steel, maximum design freedom |       |                      |             |             |          |                                  |                                                                                      |                                                                                       |
| KERDI-LINE-VARIO-H 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | DN 50 | 89 – 170 mm          |             |             |          | KL VR H50 A G5                   |  |                                                                                       |
| Slim drainage profiles, low assembly height (89 mm upper edge screed height), drain performance 0.8 l/s in accordance with DIN EN 1253, secure connection to the bonded waterproofing with Schlüter system, tested with German technical approval (abP), simple cleaning due to smooth-walled base body without dead spaces, with best hygiene properties, simple modular system for optimised storage, easy, safe installation, two designs, WAVE or COVE with two lengths: 120 or 180 cm and nine TRENDLINE colours + stainless steel, maximum design freedom |       |                      |             |             |          |                                  |                                                                                      |                                                                                       |
| Design drainage profiles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       | Width                | Length (cm) | Height (mm) | Quantity | Art. No. (add the finish/colour) |                                                                                      |                                                                                       |
| WAVE 34**                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 34    | 120                  | 8           |             |          | KL VR D10                        | * 120                                                                                |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       | 180                  | 8           |             |          | KL VR D10                        | * 180                                                                                |                                                                                       |
| WAVE 42                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 42    | 120                  | 8–10        |             |          | KL VR1 D10                       | * 120                                                                                |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       | 180                  | 8–10        |             |          | KL VR1 D10                       | * 180                                                                                |                                                                                       |
| Hair trap KERDI-LINE-VARIO-S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |                      |             |             |          | KL VR S 23                       |                                                                                      |  |
| COVE 26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 26    | 120                  | 7–8         |             |          | KL VR D9                         | * 120                                                                                |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       | 180                  | 7–8         |             |          | KL VR D9                         | * 180                                                                                |                                                                                       |
| COVE 34                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 34    | 120                  | 7–8         |             |          | KL VR1 D9                        | * 120                                                                                |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       | 180                  | 7–8         |             |          | KL VR1 D9                        | * 180                                                                                |                                                                                       |
| Hair trap KERDI-LINE-VARIO-S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |                      |             |             |          | KL VR S 14                       |                                                                                      |  |

### KERDI-LINE-VARIO drainage profile finishes/colours

| Stainless steel                                                                     | Colour coated aluminium                                                             |                                                                                     | Aluminium, textured coating (TRENDLINE)                                             |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| EB                                                                                  | MBW                                                                                 | MGs                                                                                 | TSBG                                                                                | TSC                                                                                 | TSDA                                                                                | TSG                                                                                  | TSI                                                                                   | TSOB                                                                                  | TSSG                                                                                  |
| brushed                                                                             | matte brilliant white                                                               | matte graphite black                                                                | beige grey                                                                          | cream                                                                               | dark anthracite                                                                     | grey                                                                                 | natural ivory                                                                         | natural bronze                                                                        | stone grey                                                                            |

\* To complete the art. no., add the finish/colour (e.g. KL VR1 D9 TSOB 180)

\*\* Not available in stainless steel











## Schlüter®-KERDI-LINE linear drainage

Horizontal linear drainage for central installation

| Floor drainage set                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |             | Length (cm) | Min. assembly height | Quantity (set) | Art. No. (add length)                     |                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|----------------------|----------------|-------------------------------------------|-------------------------------------------------------------------------------------|
| KERDI-LINE-F 40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | DN 40       | 50 – 120    | 60 mm                |                | KLF 40 GE                                 |  |
| Low assembly height (60 mm upper edge screed height), secure connection to bonded waterproofing with Schlüter system, tested with German technical approval (abP), fits all grate and frame combinations in the KERDI-LINE series, installation in the wall and floor, simple cleaning due to smooth-walled base body without dead spaces, with best hygiene properties, simple modular system for optimised storage, easy, safe installation, tailored to a comprehensive complete range                                                           |             |             |                      |                |                                           |                                                                                     |
| KERDI-LINE-F 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | DN 50       | 50 – 180    | 97 mm                |                | KLF 50 GE                                 |  |
| Low assembly height (97 mm upper edge screed height), drain performance 0.8 l/s in accordance with DIN EN 1253, secure connection to bonded waterproofing with Schlüter system, tested with German technical approval (abP), fits all grate and frame combinations in the KERDI-LINE series, installation in the wall and floor, simple cleaning due to smooth-walled base body without dead spaces, with best hygiene properties, simple modular system for optimised storage, easy, safe installation, tailored to a comprehensive complete range |             |             |                      |                |                                           |                                                                                     |
| Grate and frame combination                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Design      | Length (cm) | Height (mm)          | Quantity       | Art. No. (add the finish/colour + length) |                                                                                     |
| KERDI-LINE-A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SOLID       | 50 – 180    | 19                   |                | KLA 19 EB                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 30                   |                | KLA 30 EB                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLA 19 EP                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLA 19                                    | *                                                                                   |
| KERDI-LINE-B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SQUARE      | 50 – 180    | 19                   |                | KLB 19 EB                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 30                   |                | KLB 30 EB                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLB 19 EP                                 |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLB 19                                    | *                                                                                   |
| KERDI-LINE-C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | FRAMED TILE | 50 – 180    | 19                   |                | KLCA 19 EB                                |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLCA 19 EP                                |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             | 50 – 120    | 19                   |                | KLCA 19                                   | *                                                                                   |
| KERDI-LINE-D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | TILE        | 50 – 180    | 19                   |                | KLD E                                     |                                                                                     |
| KERDI-LINE-STYLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | FLORAL      | 50 – 120    | 23                   |                | KLIFE 23 EB                               |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | CURVE       | 50 – 120    | 23                   |                | KLIF 23 EB                                |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | PURE        | 50 – 120    | 23                   |                | KLIFG 23 EB                               |                                                                                     |

### KERDI-LINE grate and frame combination finishes/colours

| Stainless steel                                                                     |                                                                                     | Aluminium, colour coated                                                            |                                                                                     | Aluminium, textured coating (TRENDLINE)                                             |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| EB                                                                                  | EP                                                                                  | MBW                                                                                 | MGS                                                                                 | TSBG                                                                                | TSC                                                                                 | TSDA                                                                                | TSG                                                                                  | TSI                                                                                   | TSOB                                                                                  | TSSG                                                                                  |
| brushed                                                                             | polished                                                                            | matte brilliant white                                                               | matte graphite black                                                                | beige grey                                                                          | cream                                                                               | dark anthracite                                                                     | grey                                                                                 | natural ivory                                                                         | natural bronze                                                                        | stone grey                                                                            |

\* To complete the art. no., add the finish/colour (e.g. KLCA 19 MGS 90)

Other KERDI-LINE products can be found in the PS price list



## Schlüter®-KERDI-DRAIN point drainage

Floor drain system for centre point drainage

| Floor drainage set                | Min. assembly height | DN    | Quantity | Art. No. |  |
|-----------------------------------|----------------------|-------|----------|----------|--|
| KERDI-DRAIN-BASE Horizontal drain | 75 (70) mm           | 40/50 |          | KD BH 40 |  |

| Grate and frame set, 10 x 10 cm | Version  | Quantity                                               | Art. No. (add the finish/colour) |  |
|---------------------------------|----------|--------------------------------------------------------|----------------------------------|--|
| CLASSIC                         | Design 1 | Stainless steel, without screws                        | KD R10 ED1 GV                    |  |
|                                 |          | Stainless steel, with screws                           | KD R10 ED1 SGV                   |  |
|                                 |          | Stainless steel V4A, with screws                       | KD R10 V4A D1 SGV                |  |
|                                 |          | Stainless steel, high gloss, with screws               | KD R10 EPD1 SGV                  |  |
|                                 |          | Stainless steel, aged bronze effect, with screws       | KD R10 EOB D1 SGV                |  |
| TRAPEZOID                       | Design 2 | Brushed stainless steel                                | KD R10 ED2 GV                    |  |
| SQUARE                          | Design 3 | Brushed stainless steel                                | KD R10 ED3 GV                    |  |
|                                 |          | Stainless steel, coloured/textured coating             | KD R10 * D3 GV                   |  |
| TILE                            | Design 4 | Covering support, stainless steel                      | KD R10 ED4 GV                    |  |
|                                 |          | Covering support, stainless steel, colour coated (MGS) | KD R10 MGS D4 GV                 |  |
| FLORAL                          | Design 5 | Brushed stainless steel                                | KD IF 10 EB D5 GV                |  |
|                                 |          | Stainless steel, coloured/textured coating             | KD IF 10 * D5 GV                 |  |
| CURVE                           | Design 6 | Brushed stainless steel                                | KD IF 10 EB D6 GV                |  |
|                                 |          | Stainless steel, coloured/textured coating             | KD IF 10 * D6 GV                 |  |
| PURE                            | Design 7 | Brushed stainless steel                                | KD IF 10 EB D7 GV                |  |
|                                 |          | Stainless steel, coloured/textured coating             | KD IF 10 * D7 GV                 |  |

| KERDI-DRAIN grate and frame set finishes/colours |                         |                      |            |                                         |                 |      |               |                |            |
|--------------------------------------------------|-------------------------|----------------------|------------|-----------------------------------------|-----------------|------|---------------|----------------|------------|
| Stainless steel                                  | Colour coated aluminium |                      |            | Aluminium, textured coating (TRENDLINE) |                 |      |               |                |            |
|                                                  |                         |                      |            |                                         |                 |      |               |                |            |
| EB                                               | MBW                     | MGS                  | TSBG       | TSC                                     | TSDA            | TSG  | TSI           | TSOB           | TSSG       |
| brushed                                          | matte brilliant white   | matte graphite black | beige grey | cream                                   | dark anthracite | grey | natural ivory | natural bronze | stone grey |

\* To complete the art. no., add the finish/colour (e.g. KD IF 10 TSOB D5 GV)

Other KERDI-DRAIN products can be found in the PS price list



## Uncoupling | Waterproofing

Reliable bonded waterproofing for the shower area

| Uncoupling                    |                                        | Length x width         | m²       | Quantity             | Art. No.             |                                                                                       |
|-------------------------------|----------------------------------------|------------------------|----------|----------------------|----------------------|---------------------------------------------------------------------------------------|
| DITRA                         | Bonded uncoupling                      | 5.1 x 0.995 m          | 5        |                      | D 5M                 |    |
|                               |                                        | 30.2 x 0.995 m         | 30       |                      | D 30M                |                                                                                       |
| Waterproofing                 |                                        | Length x width         | m²       | Quantity             | Art. No.             |                                                                                       |
| KERDI 200                     | Waterproofing membrane                 | 5 x 1.00 m             | 5        |                      | KERDI 200/5M         |    |
|                               |                                        | 10 x 1.00 m            | 10       |                      | KERDI 200/10M        |                                                                                       |
|                               |                                        | 30 x 1.00 m            | 30       |                      | KERDI 200            |                                                                                       |
|                               |                                        | 20 x 1.50 m            | 30       |                      | KERDI 200 150/20M    |                                                                                       |
|                               |                                        | 15 x 2.00 m            | 30       |                      | KERDI 200 200/15M    |                                                                                       |
| Waterproofing                 |                                        | Roll                   | Quantity | Art. No. (add width) |                      |                                                                                       |
| KERDI-KEBA                    | Sealing band                           | 30 m                   |          | KEBA 100/            |                      |  |
|                               |                                        | 5 m                    |          | KEBA 100/ /5M        |                      |                                                                                       |
| Corner seal                   |                                        | Type                   |          | Quantity             | Art. No.             |                                                                                       |
| KERDI-KERECK-F                | Corner seal 90°                        | External corner        |          |                      | KERECK/FA2 (2 units) |  |
|                               |                                        | Internal corner        |          |                      | KERECK/FI2 (2 units) |                                                                                       |
| KERDI-KERS                    | Corner seal<br>H = 20 mm               | Internal corner, left  |          |                      | KERS 20 L            |  |
|                               |                                        | Internal corner, right |          |                      | KERS 20 R            |                                                                                       |
|                               | Corner seal<br>H = 28 mm               | Internal corner, left  |          |                      | KERS 28 L            |                                                                                       |
|                               |                                        | Internal corner, right |          |                      | KERS 28 R            |                                                                                       |
| Sealing kit for door openings |                                        | Height   Height 1      |          | Quantity             | Art. No.             |                                                                                       |
| KERDI-CID                     | Set 1<br>(door opening to the inside)  | 10 mm   12 mm          |          |                      | KCID E 110 S1        |  |
|                               |                                        | 12 mm   14 mm          |          |                      | KCID E 125 S1        |                                                                                       |
|                               |                                        | 14 mm   16 mm          |          |                      | KCID E 150 S1        |                                                                                       |
|                               | Set 2<br>(door opening to the outside) | 10 mm   12 mm          |          |                      | KCID E 110 S2        |  |
|                               |                                        | 12 mm   14 mm          |          |                      | KCID E 125 S2        |                                                                                       |
|                               |                                        | 14 mm   16 mm          |          |                      | KCID E 150 S2        |                                                                                       |

For waterproofing collar/sealing adhesive, see page 5





## Bonded uncoupling | Heating

Complete sets for electrical heating of floor and wall coverings

| Complete set for floor and wall                                                    |                              | Mats | uncoupled Area<br>m <sup>2</sup> | Floor<br>(136 W/m <sup>2</sup> *) |     | Wall<br>(200 W/m <sup>2</sup> **) |     | Quantity | Art. No.  |
|------------------------------------------------------------------------------------|------------------------------|------|----------------------------------|-----------------------------------|-----|-----------------------------------|-----|----------|-----------|
| DITRA-HEAT-E-S                                                                     | incl. touchscreen thermostat | 4    | 3.1                              | 2.2                               | 300 | 1.5                               | 300 |          | DH S3     |
|                                                                                    | DITRA-HEAT-E-R               | 7    | 5.4                              | 3.8                               | 525 | 2.6                               | 525 |          | DH S1     |
|                                                                                    |                              | 10   | 7.8                              | 5.5                               | 750 | 3.7                               | 750 |          | DH S2     |
| incl. touchscreen thermostat DITRA-HEAT-E-R6, with WiFi and optional voice control |                              | 4    | 3.1                              | 2.2                               | 300 | 1.5                               | 300 |          | DH RT6 S3 |
|                                                                                    |                              | 7    | 5.4                              | 3.8                               | 525 | 2.6                               | 525 |          | DH RT6 S1 |
|                                                                                    |                              | 10   | 7.8                              | 5.5                               | 750 | 3.7                               | 750 |          | DH RT6 S2 |



\* for use in floor and wall areas \*\* for use in wall areas only

Other accessories and individual products can be found in the PS price list

## Waterproofing

Reliable sealing with waterproofing collar and sealing adhesive for Schlüter-KERDI and -DITRA components

| Waterproofing collar |                      | for pipe diameter | Ø     | Quantity           | Art. No. |
|----------------------|----------------------|-------------------|-------|--------------------|----------|
| KERDI-PAS            | Waterproofing collar | 22 – 40 mm        | 15 mm | KMV 15 PAS (1 set) |          |

| Sealing adhesive |                  | Weight  | Quantity | Art. No.         |
|------------------|------------------|---------|----------|------------------|
| KERDI-COLL-L     | Sealing adhesive | 1.85 kg |          | KERDI-COLL-L 185 |
|                  |                  | 4.25 kg |          | KERDI-COLL-L     |










For other products for uncoupling / waterproofing, see page 4



## Triangular profile | Wall transition profile

Covering the sloped edges of floor-level showers

| Triangular profile                                                                  |                                                                                     | Tile thickness                                                                      | Length (cm)                                                                         | Quantity                                                                            | Art. No. (add the finish/colour + length)                                           |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SHOWERPROFILE-S                                                                     | SPS 50                                                                              | 6 – 9 mm                                                                            | 120   160   200                                                                     |                                                                                     | SPSA 50                                                                             | *                                                                                    |                                                                                       |                                                                                       |                                                                                       |
|                                                                                     | SPS 100                                                                             | 10 – 18 mm                                                                          | 120   160   200                                                                     |                                                                                     | SPSB 100                                                                            | *                                                                                    |                                                                                       |                                                                                       |                                                                                       |
|                                                                                     | SPS 125                                                                             | 12.5 – 20 mm                                                                        | 120   160   200                                                                     |                                                                                     | SPSB 125                                                                            | *                                                                                    |                                                                                       |                                                                                       |                                                                                       |
| Wall transition profile                                                             |                                                                                     | Height                                                                              | Length (cm)                                                                         | Quantity                                                                            | Art. No. (add the finish/colour + length)                                           |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| SHOWERPROFILE-R                                                                     | RA                                                                                  | 23 – 35 mm                                                                          | 100   140   200                                                                     |                                                                                     | SPRA 23                                                                             | *                                                                                    |                                                                                       |                                                                                       |                                                                                       |
|                                                                                     |                                                                                     | 33 – 45 mm                                                                          | 100   140   200                                                                     |                                                                                     | SPRA 33                                                                             | *                                                                                    |                                                                                       |                                                                                       |                                                                                       |
| Triangular profile and wall transition profile finishes/colours                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| Stainless steel                                                                     | Colour coated aluminium                                                             |                                                                                     | Aluminium, textured coating (TRENDLINE)                                             |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |
| EB                                                                                  | MBW                                                                                 | MGS                                                                                 | TSBG                                                                                | TSC                                                                                 | TSDA                                                                                | TSG                                                                                  | TSI                                                                                   | TSOB                                                                                  | TSSG                                                                                  |
| brushed                                                                             | matte brilliant white                                                               | matte graphite black                                                                | beige grey                                                                          | cream                                                                               | dark anthracite                                                                     | grey                                                                                 | natural ivory                                                                         | natural bronze                                                                        | stone grey                                                                            |

\* To complete the art. no., add the finish/colour (e.g. SPSB 125 MGS/200)

## Carrier profile

Decorative profiles for holding glass elements in floor and wall areas



| Carrier profile |                       | Height (mm)        | Width (mm) | Quantity | Art. no. (add the height + finish/colour) |      |
|-----------------|-----------------------|--------------------|------------|----------|-------------------------------------------|------|
| DECO-SG         | -EB   -AE   -AC   -TS | 8   10   11   12.5 | 12         |          | SG                                        | * 12 |
|                 |                       |                    | 15         |          | SG                                        | * 15 |



| Carrier profile finishes/colours                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Stainless steel                                                                     | Aluminium                                                                           | Aluminium, colour coated (AC)                                                       |                                                                                     | Aluminium, textured coating (TS = TRENDLINE)                                        |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |  |
| EB                                                                                  | AE                                                                                  | MBW                                                                                 | MGS                                                                                 | TSBG                                                                                | TSC                                                                                 | TSDA                                                                                | TSG                                                                                   | TSI                                                                                   | TSOB                                                                                  | TSSG                                                                                  |
| brushed                                                                             | natural, anodised                                                                   | matte brilliant white                                                               | matte graphite black                                                                | beige grey                                                                          | cream                                                                               | dark anthracite                                                                     | grey                                                                                  | natural ivory                                                                         | natural bronze                                                                        | stone grey                                                                            |

\* To complete the art. no., add the finish/colour (e.g. SG 80 TSOB 15)




## Schlüter®-SHELF shelves

Practical shelves in elegant designs



| Shelf      | Designs                                                             | Quantity | Art. no. (add the design + finish/colour) |   |
|------------|---------------------------------------------------------------------|----------|-------------------------------------------|---|
| SHELF-E-S1 | FLORAL (D5)<br>CURVE (D6)<br>PURE (D7)<br>SQUARE (D3)<br>WAVE (D10) |          | SE S1                                     | * |
|            |                                                                     |          |                                           |   |
| SHELF-E-S2 | FLORAL (D5)<br>CURVE (D6)<br>PURE (D7)<br>SQUARE (D3)<br>WAVE (D10) |          | SE S2                                     | * |
|            |                                                                     |          |                                           |   |
| SHELF-E-S3 | FLORAL (D5)<br>CURVE (D6)<br>PURE (D7)<br>SQUARE (D3)<br>WAVE (D10) |          | SE S3                                     | * |
|            |                                                                     |          |                                           |   |
| SHELF-N    | FLORAL (D5)<br>CURVE (D6)<br>PURE (D7)<br>SQUARE (D3)<br>WAVE (D10) |          | SN S1                                     | * |
|            |                                                                     |          |                                           |   |
| SHELF-W    | FLORAL (D5)<br>CURVE (D6)<br>PURE (D7)<br>SQUARE (D3)<br>WAVE (D10) |          | SW S1                                     | * |
|            |                                                                     |          |                                           |   |

### Designs




FLORAL (D5)



CURVE (D6)



PURE (D7)



SQUARE (D3)



WAVE (D10)

### Shelf finishes/colours

| Stainless steel | Aluminium, colour coated (AC) | Aluminium, textured coating (TS = TRENDLINE) |            |       |                 |      |               |                |            |
|-----------------|-------------------------------|----------------------------------------------|------------|-------|-----------------|------|---------------|----------------|------------|
|                 |                               |                                              |            |       |                 |      |               |                |            |
| EB              | MBW                           | MGS                                          | TSBG       | TSC   | TSDA            | TSG  | TSI           | TSOB           | TSSG       |
| brushed         | matte brilliant white         | matte graphite black                         | beige grey | cream | dark anthracite | grey | natural ivory | natural bronze | stone grey |

\* To complete the art. no., add the design and finish/colour (e.g. SE S1 D10 TSC)



## Niches

Prefabricated installation elements with and without lighting

| Niche set    | Material  | W x H x D (mm)      | Quantity (set) | Art. No. (add the finish/colour) |
|--------------|-----------|---------------------|----------------|----------------------------------|
| DESIGN-NICHE | Aluminium | A 298 x 298 x 91.5  | DN 1           | *                                |
|              |           | B 598 x 298 x 91.5  | DN 2           | *                                |
|              |           | C 1198 x 298 x 91.5 | DN 3           | *                                |



### DESIGN-NICHE finishes/colours

| Aluminium, colour coated (AC)                                                      |                                                                                    | Aluminium, textured coating (TS = TRENDLINE)                                       |                                                                                    |                                                                                    |                                                                                     |                                                                                      |                                                                                      |                                                                                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |
| MBW                                                                                | MGS                                                                                | TSBG                                                                               | TSC                                                                                | TSDA                                                                               | TSG                                                                                 | TSI                                                                                  | TSOB                                                                                 | TSSG                                                                                 |
| matte brilliant white                                                              | matte graphite black                                                               | beige grey                                                                         | cream                                                                              | dark anthracite                                                                    | grey                                                                                | natural ivory                                                                        | natural bronze                                                                       | stone grey                                                                           |

\* To complete the art. no., add the finish/colour (e.g. DN 3 MGS)

| Niche set     | Material    | W x H x D (mm)   | Quantity (set) | Art. No.           |
|---------------|-------------|------------------|----------------|--------------------|
| KERDI-BOARD-N | KERDI-BOARD | A 305 x 152 x 89 |                | KB 12 N 305 152 A  |
|               |             | B 305 x 305 x 89 |                | KB 12 N 305 305 A  |
|               |             | C 305 x 508 x 89 |                | KB 12 N 305 508 A1 |
|               |             | D 305 x 711 x 89 |                | KB 12 N 305 711 A1 |



| Niche set with LED lighting | Material    | W x H x D (mm)   | Quantity (set) | Art. No.             |
|-----------------------------|-------------|------------------|----------------|----------------------|
| KERDI-BOARD-NLT-BR          | KERDI-BOARD | A 305 x 305 x 89 |                | KB 12 NL TP1 AE 9 BR |
|                             |             | B 305 x 508 x 89 |                | KB 12 NL TP2 AE 9 BR |
|                             |             | C 305 x 711 x 89 |                | KB 12 NL TP3 AE 9 BR |
|                             |             | D 508 x 305 x 89 |                | KB 12 NL TP4 AE 9 BR |
|                             |             | E 711 x 305 x 89 |                | KB 12 NL TP5 AE 9 BR |





Other niches and suitable shelves for KERDI-BOARD-N/-NLT-BR can be found in the PS and LIPROTEC price lists





## Schlüter®-KERDI-BOARD-W vanity unit

Individual, flexible vanity unit solutions for wall- or vanity-fitted mixer taps

| Prefabricated vanity unit                                                           |                                                                                     | W x H x D (mm)                                                                      | Quantity (set)                                                                      | Art. No. (add the finish/colour)                                                    |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| KERDI-BOARD-WS                                                                      | for vanity-fitted mixer tap                                                         | 1170 x 85 x 550                                                                     |                                                                                     | KB W 550 1170 SL V1                                                                 |                                                                                     |    |                                                                                       |                                                                                       |                                                                                       |
| Triangular profiles                                                                 |                                                                                     | 1198 x 298 x 91.5                                                                   |                                                                                     | KB WAS R2                                                                           | *                                                                                   |    |                                                                                       |                                                                                       |                                                                                       |
| KERDI-BOARD-WDP drainage profile **                                                 |                                                                                     |                                                                                     |                                                                                     | KB WL D15 EB 60                                                                     |                                                                                     |    |                                                                                       |                                                                                       |                                                                                       |
| Drainage profile KERDI-LINE-VARIO WAVE                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| KERDI-BOARD-WW                                                                      | for wall-fitted mixer tap                                                           | 1170 x 85 x 550                                                                     |                                                                                     | KB W 520 1170 WL V1                                                                 |                                                                                     |  |                                                                                       |                                                                                       |                                                                                       |
| Triangular profiles                                                                 |                                                                                     | 1198 x 298 x 91.5                                                                   |                                                                                     | KB WAS R1                                                                           | *                                                                                   |  |                                                                                       |                                                                                       |                                                                                       |
| Drainage profile KERDI-LINE-VARIO WAVE                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| KERDI-BOARD-AB                                                                      | Console set                                                                         | 450 x 75 x 180                                                                      |                                                                                     | KB W AB 450                                                                         |                                                                                     |  |                                                                                       |                                                                                       |                                                                                       |
| Design drainage profiles                                                            |                                                                                     | Width                                                                               | Length (cm)                                                                         | Height (mm)                                                                         | Quantity (set)                                                                      | Art. No. (add the finish/colour)                                                      |                                                                                       |                                                                                       |                                                                                       |
| COVE 26                                                                             |                                                                                     | 26                                                                                  | 120                                                                                 | 7–8                                                                                 |                                                                                     | KL VR D9                                                                              | * 120                                                                                 |  |                                                                                       |
| COVE 34                                                                             |                                                                                     | 34                                                                                  | 120                                                                                 | 7–8                                                                                 |                                                                                     | KL VR1 D9                                                                             | * 120                                                                                 |  |                                                                                       |
| Hair trap KERDI-LINE-VARIO-S                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | KL VR S 14                                                                            |                                                                                       |  |                                                                                       |
| Triangular profile vanity unit and KERDI-LINE-VARIO finishes/colours                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| Stainless steel                                                                     |                                                                                     | Aluminium, colour coated (AC)                                                       |                                                                                     | Aluminium, textured coating (TS = TRENDLINE)                                        |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |   |  |  |  |
| EB                                                                                  | MBW                                                                                 | MGS                                                                                 | TSBG                                                                                | TSC                                                                                 | TSDA                                                                                | TSG                                                                                   | TSI                                                                                   | TSOB                                                                                  | TSSG                                                                                  |
| brushed                                                                             | matte brilliant white                                                               | matte graphite black                                                                | beige grey                                                                          | cream                                                                               | dark anthracite                                                                     | grey                                                                                  | natural ivory                                                                         | natural bronze                                                                        | stone grey                                                                            |

\* To complete the art. no., add the finish/colour (e.g. KL VR1 D10 TSG 120)

\*\* The KERDI-BOARD-WDP drainage profile cannot be used in combination with the WASHBASINPROFILE-WS and -WW triangular profiles.



# TRENDLINE colours

Across the entire bathroom


- ✓ Choice of nine TRENDLINE colours
- ✓ Perfectly matching shelves, profiles and design grates
- ✓ High-quality textured coating
- ✓ Unlimited combination options
- ✓ Design options with blended aesthetic or deliberate contrasts
- ✓ Matching the latest tiling trends



- 1 KERDI-LINE-VARIO
- 2 SHOWERPROFILE
- KERDI-SHOWER
- LIPROTEC
- KERDI
- 3 SHELF
- KERDI-BOARD-NLT

- 4 DECO-SG
- DILEX-F
- DITRA-HEAT-E
- DITRA
- BEKOTEC-THERM
- QUADEC
- JOLLY

- KERDI-BOARD
- FINEC-SQ
- KERDI-BOARD-WW
- 5 KERDI-DRAIN
- 6 KERDI-LINE
- 7 DESIGN-NICHE



|                      |             |
|----------------------|-------------|
| Construction project | Project no. |
| Address              |             |