Schlüter®-WETROOMS

Innovations for freedom in design










the means of creating level entry showers. Our systems are far more than the sum of their parts, each individual component is carefully matched with the other components, and designed to ensure maximum installation reliability. The integrated system solution is designed to offer the highest level of flexibility to specifiers, installers and customers alike.



System solutions for linear drainage









System solutions for point drainage








Additional considerations for wetroom design












Showers with linear Schlüter®-KERDI-LINE-VARIO drainage



The Schlüter-KERDi-LINE VARIO drain profile directs the waste water into a slim wave shaped drain body with an elasticated waterproofing collar. A DN 40 outlet connects the drain to the building's wastewater drainage system. A screeded tiled shower floor with a 2% gradient should be provided to allow water to run into the drainage profile.

Schlüter-DECO-SG keeps shower screens in their correct positions. Schlüter-KERDI and -DITRA ensure waterproofing in the wall and floor area. Abutting joints are sealed with Schlüter-KERDI-KEBA sealing bands, using Schlüter-KERDI-COLL-L.

	Article
0	Schlüter-KERDI-LINE-VARIO-H wave-shaped drain
2	Schlüter-KERDI-LINE-VARIO drainage profile
3	Sloped screed
4	Schlüter-DITRA
(5)	Schlüter-KERDI-200
6	Schlüter-KERDI-KEBA
7	Schlüter-KERDI-COLL-L
8	Schlüter-DECO-SG


KERDI-LINE-VARIO COVE

Schlüter-KERDI-LINE-VARIO COVE 26 is a cove-shaped drainage profile, which can be cut to size, for use with the linear drain Schlüter-KERDI-LINE-VARIO-H. It is available in either brushed stainless steel V4A (material no. 1.4404 = AISI 316L) or one of eight TRENDLINE powder coated aluminium finishes. An opening 8 mm wide and 140 mm long allows water to flow into the drain.


The drainage profile is supplied with two matching end caps. The installation height can be adjusted to the thickness of the floor covering by use of tile adhesive.

This profile is suitable when a wheelchair is used in a shower.


(Product data sheet 8.10)







10





KL VR D9 EB 180

Schlüter®-KERDI-LINE-VARIO COVE 26				
drainage profile, COVE 26 design (D 9), textured aluminium				
L (cm)	H = 8 mm Art. No.	P (Set)		
120	KL VR D9 MBW 120	10		
120	KL VR D9 MGS 120	10		
120	KL VR D9 TSBG 120	10		
120	KL VR D9 TSC 120	10		
120	KL VR D9 TSDA 120	10		
120	KL VR D9 TSI 120	10		
120	KL VR D9 TSOB 120	10		
120	KL VR D9 TSSG 120	10		
180	KL VR D9 MBW 180	10		
180	KL VR D9 MGS 180	10		
180	KL VR D9 TSBG 180	10		
180	KL VR D9 TSC 180	10		
180	KL VR D9 TSDA 180	10		
180	KL VR D9 TSI 180	10		
180	KL VR D9 TSOB 180	10		
180	KL VR D9 TSSG 180	10		

Suitable for covering thicknesses of

180

- 6 15 mm (with DITRA or DITRA-HEAT) and
- 6 12 mm (with DITRA-HEAT-DUO)

Note:

The drainage profile is only suitable for use with the Schlüter-KERDI-LINE-VARIO body. The drainage profile is supplied with two matching end caps.




KERDI-LINE-VARIO WAVE


Schlüter-KERDI-LINE-VARIO WAVE is a W shaped drainage profile which can be cut to size for use with the linear drain Schlüter-KERDI-LINE-VARIO-H. It is available in either brushed stainless steel V4A (material no. 1.4404 = AISI 316L) or one of eight TRENDLINE powder coated aluminium finishes. An opening 14 mm wide and 140 mm long allows water to flow into the drain. The opening is concealed by a removable cover panel.

The drainage profile is supplied with two matching end caps. The installation height can be adjusted to the thickness of the floor covering by use of tile adhesive. This drainage profile is not suitable when a wheelchair is used in a shower.

(Product data sheet 8.10)







Aluminium



Schlüter®-KERDI-LINE-VARIO WAVE 34 drainage profile, WAVE design (D 10), textured aluminium H = 8 mm P (Set) L (cm) Art. No. 120 KL VR D10 MBW 120 10 120 KL VR D10 MGS 120 10 120 KL VR D10 TSBG 120 10 120 KL VR D10 TSC 120 10 120 KL VR D10 TSDA 120 10 120 KL VR D10 TSI 120 10 120 KL VR D10 TSOB 120 10 120 KL VR D10 TSSG 120 10 180 KL VR D10 MBW 180 10 180 KL VR D10 MGS 180 10 180 KL VR D10 TSBG 180 10 180 KL VR D10 TSC 180 10 180 KL VR D10 TSDA 180 10 180 KL VR D10 TSI 180 10 180 KL VR D10 TSOB 180 10 180 KL VR D10 TSSG 180 10

Suitable for covering thicknesses of

- 6 15 mm (with DITRA or DITRA-HEAT) and
- 6 12 mm (with DITRA-HEAT-DUO)

Note:

The drainage profile is only suitable for use with the Schlüter-KERDI-LINE-VARIO body.


Schlüter®-KERDI-LINE-VARIO WAVE 42				
drainage profile, WAVE design (D 10), brushed stainless steel V4A				
L (cm) H = 10 mm P (Set)				
120	KL VR1 D10 EB 120	10		
180	KL VR1 D10 EB 180	10		


Suitable for covering thicknesses of

- 8 18 mm (with DITRA or DITRA-HEAT) and
- 8 15 mm (with DITRA-HEAT-DUO)


Note:

The drainage profiles of the Schlüter-KERDI-LINE-VARIO series can only be combined with the Schlüter-KERDI-LINE-VARIO-H drain bodies.





Schlüter®-KERDI-LINE-VARIO WAVE 42				
drainage profile, WAVE design (D 10), textured aluminium				
L (cm)	H = 8 mm Art. No.	P (Set)		
120	KL VR1 D10 MBW 120	10		
120	KL VR1 D10 MGS 120	10		
120	KL VR1 D10 TSBG 120	10		
120	KL VR1 D10 TSC 120	10		
120	KL VR1 D10 TSDA 120	10		
120	KL VR1 D10 TSI 120	10		
120	KL VR1 D10 TSOB 120	10		
120	KL VR1 D10 TSSG 120	10		
180	KL VR1 D10 MBW 180	10		
180	KL VR1 D10 MGS 180	10		
180	KL VR1 D10 TSBG 180	10		
180	KL VR1 D10 TSC 180	10		
180	KL VR1 D10 TSDA 180	10		
180	KL VR1 D10 TSI 180	10		
180	KL VR1 D10 TSOB 180	10		
180	KL VR1 D10 TSSG 180	10		









KERDI-LINE-VARIO-H 40

Schlüter-KERDI-LINE-VARIO-H 40 is a complete set for linear floor-level showers. It comprises a drain adapter with an integrated elasticated KERDI waterproofing collar. To enable an especially low assembly height, the waterproof adapter comes fully inserted into the sealed wave shaped drain. The adapter is additionally secured with a clamping ring. KERDI-LINE-VARIO-H 40 is suited for installation in an intermediate position and especially along walls. The wave-shaped design achieves a high flow rate within the floor drain, which results in a self cleaning effect that substantially reduces the cleaning frequency. The sound insulation element included in the set reliably prevents sound transmission to the surrounding building structures and serves as a positioning aid for direct installation in a wall.

(Product data sheet 8.10)







linear wave shaped drain with DN 40 horizontal outlet

Schlüter®-KERDI-LINE-VARIO-H 40

Art. No.	P (Set)
KL VR H40 G5	10
KL VR H40 G5	10

Note:

The drain is only suitable for use with Schlüter-KERDI-LINE-VARIO drainage profiles.

Technical data:

Drain DN 40 Drain capacity Water trap height 25 mm Installation height 65 mm

* Drain capacity varies depending on the chosen profile. COVE 26: 0.45 l/s WAVE 34: 0.45 l/s WAVE 42: 0.5 l/s


Set components:

- 1 protective lid
- 2 water inspection nozzle
- 3 corner seal (for upright wall connection)
- 4 drainage profile connector with elasticated waterproofing collar
- 5 clamping ring
- 6 gasket
- 7 drain body DN 40 with odour trap
- 8 sound insulation element
- 9 adapter DN 40/50


KERDI-LINE-VARIO-H 50

Schlüter-KERDI-LINE-VARIO-H 50 is a complete set for linear floor-level showers. It comprises a drain adapter with an integrated elasticated KERDI waterproofing collar that can be cut to size to meet on-site height requirements as well as a horizontal drain with integrated odour trap that can be rotated by 360 degrees. The drain can be attached to the floor with the supplied installation set. KERDI-LINE-VARIO-H 50 is suited for installation in an intermediate position and especially along walls. The wave-shaped design achieves a high flow rate within the floor drain, which results in a self cleaning effect that substantially reduces the cleaning frequency. The sound insulation element included in the set reliably prevents sound transmission to the surrounding building structures and serves as a positioning aid for direct installation in a wall.

(Product data sheet 8.10)







Set components:

- 1 protective lid
- 2 water inspection nozzle
- 3 corner seal (for upright wall connection)
- 4 drainage profile connector, can be cut to size, with elasticated waterproofing collar
- 5 clamping ring
- 6 gasket
- 7 drain body DN 50 with odour trap
- 8 sound insulation element

Schlüter®-KERDI-LINE-VARIO-H 50			
linear wave shaped drain set with DN 50 horizontal outlet			
Art. No. P (Set)			
KL VR H50 A G5 10			
Note:			

Note:

The drain is only suitable for use with Schlüter-KERDI-LINE-VARIO drainage profiles.

Technical data:	
Drain	DN 50
Drain capacity	*
Water trap height	50 mm
Installation height	89 mm

* Drain capacity varies depending on the chosen profile. COVE 26: 0.7 l/s WAVE 34: 0.7 l/s

WAVE 42 (aluminium): 0.7 l/s WAVE 42 (EB): 0.8 l/s



KERDI-LINE-VARIO-DSE

Schlüter-KERDI-LINE-VARIO-DSE is a frame extension set that enables the use of the corresponding drainage profiles with coverings that are 10 mm thicker than that usually allowed with Schlüter-KERDI-LINE-VARIO WAVE or Schlüter-KERDI-LINE-VARIO COVE drainage profiles.

(Product data sheet 8.10)





KL VR DSE 14


KL VR DSE 23

Schlüter®-KERDI-LINE-VARIO-DSE			
extension for KERDI-LINE-VARIO			
Art. No. P (Unit)			
KL VR DSE 14 10			

KERDI-LINE-VARIO-S

Schlüter-KERDI-LINE-VARIO-S is an optionally is an optionally available hair trap for the WAVE 42 profile series, which in addition to its primary function also reliably prevents small parts such as jewellery from being flushed down the drain.

(Product data sheet 8.10)



Schlüter®-KERDI-LINE-VARIO-S			
hair trap for KERDI-LINE-VARIO WAVE 42			
Art. No. P (Unit)			
KL VR S 23	10		



Schlüter®-KERDI-LINE: Linear drainage


Schlüter-KERDI-LINE channel bodies are made of solid stainless steel. They are available in different varieties for horizontal and vertical drainage and come in 14 different lengths to match the various grate/frame combinations of the system (closed/perforated design screen/tile pan) and covering supports. The channel bodies of KERDI-LINE are designed for variable installation in wall and floor areas. The pre-adhered Schlüter-KERDI collar allows for secure drainage in all configurations.






Schlüter®-KERDI-LINE system

- √ Made of 1.5 mm stainless steel V4A
- √ Easy installation with precise fitting channel support
- √ Installation without drilling or screw fixing
- ✓ Channel support separates the drainage channel from the structure minimising sound transmission
- √ Options for horizontal or vertical drainage connections
- √ Horizontal drainage at the floor-level
- √ Vertical drainage through the floor-level
- ✓ Removable odour trap (Schlüter-KERDI-LINE-H and -KERDI-LINE-V)
- ✓ Solutions for drain placement perimeter, intermediate or where the design dictates the water will go
- ✓ Pre-adhered Schlüter-KERDI collar
- ✓ Integrated into the CE Marked bonded waterproofing system Schlüter-KERDI



Horizontal or vertical exits





Schlüter-KERDI-LINE-H/-F with horizontal drain for installation on the floor-level is a suitable solution for most construction projects with assembly heights of 60 mm (KLF 40), 78 mm (KLH 40) or 97 mm (KLH 50).

Schlüter-KERDI-LINE-V/-VS with vertical drain for installation through the floor-level is ideal for renovation projects and has an assembly height of just 24 mm.


Perimeter or intermediate drain locations



Schlüter-KERDI collar, upright for perimeter wall installation



Schlüter-KERDI collar with pre-formed corner piece for corner connections in perimeter wall installation



Schlüter-KERDI collar, level for intermediate installation





Schlüter-KERDI collar for lateral wall connection with intermediate installation

Both variations, with horizontal or vertical line drainage, are designed for variable installation at the perimeter wall or within the floor areas. The supplied pre-fabricated corner pieces provide waterproofing in corner areas.

Schlüter®-KERDI-LINE-H: Linear drainage with horizontal drain

Schlüter-KERDI-LINE-H is a complete set for linear floor-level showers with a horizontal drain. It can be universally used for intermediate installation in floor or at wall areas. The perimeter of the channel body consists of an adhesive flange that is coated with a collar made of Schlüter-KERDI. It ensures the reliable connection of the channel body to the bonded waterproofing assembly, both in the floor area and on upright walls. (Product data sheet 8.7)






Set components:

- A Corner seal (for lateral wall connection)
- **B** Two part odour trap
- C Channel body with waterproofing collar
- **D** Drain body
- E Drain pipe
- F Channel support
- **G** 40 mm adaptor


(only for KERDI-LINE-H 40)





Technical data:

Drain: DN 40 / DN 50 Drain capacity: 0.5 l/s/ 0.6 l/s Water trap height: 25 mm / 30 mm Assembly height: 78 mm / 97 mm Width of cover including frame: 74 mm Lengths: 50 to 180 cm in increments of 10 cm





Schlüter®-KERDI-LINE-H 40

stainless steel V4A linear drainage set with odour trap, horizontal DN 40 drain			
L (cm)	L1 (cm)	ArtNo.	P (Set)
50	55	KLH 40 GE 50	10
60	65	KLH 40 GE 60	10
70	75	KLH 40 GE 70	10
80	85	KLH 40 GE 80	10
90	95	KLH 40 GE 90	10
100	105	KLH 40 GE 100	10
110	115	KLH 40 GE 110	10
120	125	KLH 40 GE 120	10
130	135	KLH 40 GE 130	10
140	145	KLH 40 GE 140	10
150	155	KLH 40 GE 150	10
160	165	KLH 40 GE 160	10
170	175	KLH 40 GE 170	10
180	185	KLH 40 GE 180	10

Schlüter®-KERDI-LINE-H 50

stainless steel V4A linear drainage set with odour trap, horizontal DN 50 drain			
L (cm)	L1 (cm)	ArtNo.	P (Set)
50	55	KLH 50 GE 50	10
60	65	KLH 50 GE 60	10
70	75	KLH 50 GE 70	10
80	85	KLH 50 GE 80	10
90	95	KLH 50 GE 90	10
100	105	KLH 50 GE 100	10
110	115	KLH 50 GE 110	10
120	125	KLH 50 GE 120	10
130	135	KLH 50 GE 130	10
140	145	KLH 50 GE 140	10
150	155	KLH 50 GE 150	10
160	165	KLH 50 GE 160	10
170	175	KLH 50 GE 170	10
180	185	KLH 50 GE 180	10


Note: Please see pages 22-29 for matching grate and frame combinations or covering supports.



Schlüter®-KERDI-LINE-H 50 G2


Schlüter-KERDI-LINE-H 50 G2 is a complete set for linear floor-level showers with a horizontal drain. It is universally suitable for installation in a floor or wall area and features a drain capacity ≥ 0.8 l/s according to DIN EN 1253 as well as a water trap height of 50 mm in the odour trap unit. A collar made of Schlüter-KERDI is preadhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly.


(Product data sheet 8.7)



Set components:

- A Corner seal (for rising lateral wall)
- B Channel body with sealing collar and channel support
- C Two-piece odour trap
- **D** Adapter
- **E** Drain body







Schlüter®-KERDI-LINE-H 50 G2

ctainlace ctaal V// A lina	ar drainage set with odour trap,	harizantal DN 50 drain
Stalliess Steel V4A IIIIe	ai uramaye set with bubur trap,	HOHZOHIAI DIN 50 ULAIH

L (cm)	L1 (cm)	ArtNo.	P (Set)
50	55	KLH 50 G2E 50	10
60	65	KLH 50 G2E 60	10
70	75	KLH 50 G2E 70	10
80	85	KLH 50 G2E 80	10
90	95	KLH 50 G2E 90	10
100	105	KLH 50 G2E 100	10
110	115	KLH 50 G2E 110	10
120	125	KLH 50 G2E 120	10
130	135	KLH 50 G2E 130	10
140	145	KLH 50 G2E 140	10
150	155	KLH 50 G2E 150	10
160	165	KLH 50 G2E 160	10
170	175	KLH 50 G2E 170	10
180	185	KLH 50 G2E 180	10

Note:

Please see pages 22–29 for matching grate and frame combinations or covering supports.



Technical data:

Drain: DN 50

Drain capacity: 0.8 l/s Water trap height: 50 mm Assembly height: 120 mm

Width of cover grate including frame: 74 mm Lengths: 50 to 180 cm in increments of 10 cm






Schlüter®-KERDI-LINE-F: Floor-level showers from assembly heights of 60 mm


Schlüter-KERDI-LINE-F is a complete set for linear, floor-level showers with a horizontal drain. It can be universally used for intermediate installation in floor or wall areas and is particularly well suited for restoration and modernisation projects because of its low assembly height of just 60 mm. A collar made of Schlüter-KERDI is pre-adhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly.

(Product data sheet 8.7)



Set components:

- A Corner seal (for lateral wall connection)
- **B** Channel body with waterproofing collar and channel support
- C Lip seal
- **D** Drain body with odour trap





Schlüter®-KERDI-LINE-F 40

stainless steel V4A linear drainage set with integrated odour trap, horizontal DN 40 drain

L (cm)	L1 (cm)	ArtNo.	P (Set)
50	55	KLF 40 GE 50	10
60	65	KLF 40 GE 60	10
70	75	KLF 40 GE 70	10
80	85	KLF 40 GE 80	10
90	95	KLF 40 GE 90	10
100	105	KLF 40 GE 100	10
110	115	KLF 40 GE 110	10
120	125	KLF 40 GE 120	10








Schlüter-KERDI collar, upright for wall installation

Note: Please see pages 22-29 for matching grate and frame combinations or covering supports.





Technical data:

Drain: DN 40

Drain capacity: 0.45 l/s Water trap height: 25 mm

Assembly height: 60 mm


Width of cover including frame: 74 mm Lengths: 50 to 120 cm in increments of 10 cm

18

Schlüter®-KERDI-LINE-V 50 G2


Schlüter-KERDI-LINE-V 50 G2 is a complete set for linear floor-level showers with a vertical drain. It is universally suitable for central installation in a floor or wall area and features a drain capacity ≥ 0.8 l/s according to DIN EN 1253 and a water trap height of 50 mm in the odour trap unit. A collar made of Schlüter-KERDI is pre-adhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly.


(Product data sheet 8.7)



Set components:

- A Corner seal (for connection to lateral wall)
- **B** Channel body with sealing collar
- C Channel support
- **D** Drain pipe
- **E** Two-piece odour trap
- **F** Adapter
- **G** Drain body






Schlüter®-KERDI-LINE-V 50 G2

stainless steel V4A linear drainage set with odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	ArtNo.	P (Set)
50	55	KLV 50 G2E 50	10
60	65	KLV 50 G2E 60	10
70	75	KLV 50 G2E 70	10
80	85	KLV 50 G2E 80	10
90	95	KLV 50 G2E 90	10
100	105	KLV 50 G2E 100	10
110	115	KLV 50 G2E 110	10
120	125	KLV 50 G2E 120	10
130	135	KLV 50 G2E 130	10
140	145	KLV 50 G2E 140	10
150	155	KLV 50 G2E 150	10
160	165	KLV 50 G2E 160	10
170	175	KLV 50 G2E 170	10
180	185	KLV 50 G2E 180	10

Note: Please see pages 22–29 for matching grate and frame combinations or covering supports.





Technical data:

Drain: DN 50 Drain capacity: 1.0 l/s Water trap height: 50 mm Assembly height: 48 mm

Width of cover grate including frame: 74 mm Lengths: 50 to 180 cm in increments of 10 cm

Schlüter®-KERDI-LINE-BS

Schlüter-KERDI-LINE-BS is an approved fire protection insert with clamping ring, which prevents the spread of fire between floor levels in conjunction with the vertical stainless steel linear drain KL V 50 G2.

(Product data sheet 8.7)

Schlüter®-KERDI-LINE-BS			
fire protection insert with clamping ring			
ArtNo.	P (Unit)		
KL BS	10		

Note

Conduit gasket with fire protection/sound insulation function Schlüter-KERDI-DRAIN-ZBS, see page 49.






Schlüter®-KERDI-LINE-V: Linear drainage system with vertical drain

Schlüter-KERDI-LINE-V is a complete set for linear floor-level showers with a vertical drain. It can be universally used for intermediate installation in floor or at wall areas. The perimeter of the channel body consists of an adhesive flange that is coated with a collar made of Schlüter-KERDI. It ensures the reliable connection of the channel body to the bonded waterproofing assembly, both in the floor area and on upright walls.







A	В	(A)
22, 57 mm ,22	© 0	
50 mm 120 mm	Ē	2

Schlüter®-KERDI-LINE-V/-VS stainless steel V4A linear drainage set, vertical DN 50 drain

L (cm)	L1 (cm)	KERDI-LINE-V with odour trap ArtNo.	KERDI-LINE-VS without odour trap ArtNo.	P (Set)
50	55	KLV 50 GE 50	KLV 50 GSE 50	10
60	65	KLV 50 GE 60	KLV 50 GSE 60	10
70	75	KLV 50 GE 70	KLV 50 GSE 70	10
80	85	KLV 50 GE 80	KLV 50 GSE 80	10
90	95	KLV 50 GE 90	KLV 50 GSE 90	10
100	105	KLV 50 GE 100	KLV 50 GSE 100	10
110	115	KLV 50 GE 110	KLV 50 GSE 110	10
120	125	KLV 50 GE 120	KLV 50 GSE 120	10
130	135	KLV 50 GE 130	KLV 50 GSE 130	10
140	145	KLV 50 GE 140	KLV 50 GSE 140	10
150	155	KLV 50 GE 150	KLV 50 GSE 150	10
160	165	KLV 50 GE 160	KLV 50 GSE 160	10
170	175	KLV 50 GE 170	KLV 50 GSE 170	10
180	185	KLV 50 GE 180	KLV 50 GSE 180	10




Schlüter-KERDI collar, level for intermediate installation



Schlüter-KERDI collar, upright for wall installation

Set components:

- A Corner seal (for lateral wall connection)
- **B** Channel body with waterproofing collar
- **C** Channel support
- **D** Drain pipe DN 50 (I = 250 mm)
- **E** Trap section
- $\boldsymbol{\mathsf{F}}$ Two part odour trap
- **G** Drain body



Technical data:

Drain: DN 50


Drain capacity: 1.0 l/s (V), 0,8l/s (VS)

Water trap height: 30 mm (V), 50 mm (VS)

Assembly height: 24 mm


Width of cover grate including frame: 74 mm Lengths: 50 to 180 cm in increments of 10 cm

Note: Please see pages 22–29 for matching grate and frame combinations or covering supports.



Set components:

- A Corner seal (for lateral wall connection)
- **B** Channel body with waterproofing collar
- C Channel support
- **D** Drain pipe DN 50 (I = 250 mm)
- E Trap section




Schlüter®-KERDI-LINE-VOS stainless steel linear drainage set V4A without odour trap, off-centre drainage, vertical drain DN 50 P (Set) L (cm) L1 (cm) Art.-No. 70 75 KLVO 50 GSE 70 10 KLVO 50 GSE 80 80 85 10 KLVO 50 GSE 90 90 95 10 100 105 KLVO 50 GSE 100 10 110 115 KLVO 50 GSE 110 10 120 KLVO 50 GSE 120 125 10




Schlüter-KERDI collar, level for intermediate installation



Schlüter-KERDI collar, upright for wall installation




Note: Please see pages 22-29 for matching grate and frame combinations.





Schlüter®-KERDI-LINE: Grate and frame combination

The visual appearance of Schlüter-KERDI-LINE is determined by pre-fabricated frame and grate combinations made of brushed, polished or powder-coated stainless steel in sizes ranging from 50 to 180 cm (grate length). The profile frames in the classic QUADEC look are available with covers A or B or alternatively with a tile pan C.



- Pre-fabricated grate/frame combinations made of stainless steel
- Brushed, polished or powder-coated finish
- Frame in elegant Schlüter-QUADEC design with integrated grate insert
- Seamlessly adjustable stainless steel insertion frame, available in two versions, to accommodate covering materials in thicknesses from 3 mm to 25 mm
- 3 variants of channel covers:
 - A Designer grate in stainless steel with lateral drainage slots
 - **B** Designer grate in stainless steel with square perforations
 - C Designer grate pan for installation of covering material with a thickness of up to 15 mm
- No silicone joint required between covering and frame
- Suitable for wheelchair use
- Alternative: Frameless covering support, see page 29













Schlüter®-KERDI-LINE-A

Design A – SOLID with 19 mm frame, stainless steel V4A, brushed

L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLA 19 EB 50	10
60	KLA 19 EB 60	10
70	KLA 19 EB 70	10
80	KLA 19 EB 80	10
90	KLA 19 EB 90	10
100	KLA 19 EB 100	10
110	KLA 19 EB 110	10
120	KLA 19 EB 120	10
130	KLA 19 EB 130	10
140	KLA 19 EB 140	10
150	KLA 19 EB 150	10
160	KLA 19 EB 160	10
170	KLA 19 EB 170	10
180	KLA 19 EB 180	10

0	1	-	

Schlüter®-KERDI-LINE-B

L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLB 19 EB 50	10
60	KLB 19 EB 60	10
70	KLB 19 EB 70	10
80	KLB 19 EB 80	10
90	KLB 19 EB 90	10
100	KLB 19 EB 100	10
110	KLB 19 EB 110	10
120	KLB 19 EB 120	10
130	KLB 19 EB 130	10
140	KLB 19 EB 140	10
150	KLB 19 EB 150	10
160	KLB 19 EB 160	10
170	KLB 19 EB 170	10
180	KLB 19 EB 180	10

70	NLD 19 ED 70	10
80	KLB 19 EB 80	10
90	KLB 19 EB 90	10
100	KLB 19 EB 100	10
110	KLB 19 EB 110	10
120	KLB 19 EB 120	10
130	KLB 19 EB 130	10
140	KLB 19 EB 140	10
150	KLB 19 EB 150	10
160	KLB 19 EB 160	10
170	KLB 19 EB 170	10
190	KI D 10 ED 190	10


Schlüte	er®-KERDI-LINE-C	
Design C frame, st	– FRAMED TILE with 19 m ainless steel V4A, brushed	m


L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLCA 19 EB 50	10
60	KLCA 19 EB 60	10
70	KLCA 19 EB 70	10
80	KLCA 19 EB 80	10
90	KLCA 19 EB 90	10
100	KLCA 19 EB 100	10
110	KLCA 19 EB 110	10
120	KLCA 19 EB 120	10
130	KLCA 19 EB 130	10
140	KLCA 19 EB 140	10
150	KLCA 19 EB 150	10
160	KLCA 19 EB 160	10
170	KLCA 19 EB 170	10
180	KLCA 19 EB 180	10


Design A - SOLID with 30 mm frame,

Stalliess	Steel V4A, blusiled	
L (cm)	H = 30 mm ArtNo.	P (Set)
50	KLA 30 EB 50	10
60	KLA 30 EB 60	10
70	KLA 30 EB 70	10
80	KLA 30 EB 80	10
90	KLA 30 EB 90	10
100	KLA 30 EB 100	10
110	KLA 30 EB 110	10
120	KLA 30 EB 120	10









Note:


H = 19 mm suitable for tile thicknesses up to 15 mm

Note:

H = 19 mm covering thicknesses 3 - 15 mm

H = 30 mm covering thicknesses 13 - 25 mm





Schlüter®-KERDI-LINE-A

Design A – SOLID with 19 mm frame, stainless steel V4A, high-gloss

	otoor v ii ii iiigir giooo	
L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLA 19 EP 50	10
60	KLA 19 EP 60	10
70	KLA 19 EP 70	10
80	KLA 19 EP 80	10
90	KLA 19 EP 90	10
100	KLA 19 EP 100	10
110	KLA 19 EP 110	10
120	KLA 19 EP 120	10



Schlüter®-KERDI-LINE-B

Design B – SQUARE with 19 mm frame, stainless steel V4A, high-gloss

L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLB 19 EP 50	10
60	KLB 19 EP 60	10
70	KLB 19 EP 70	10
80	KLB 19 EP 80	10
90	KLB 19 EP 90	10
100	KLB 19 EP 100	10
110	KLB 19 EP 110	10
120	KLB 19 EP 120	10



Schlüter®-KERDI-LINE-C

Design C – FRAMED TILE with 19 mm frame, stainless steel V4A, high-gloss

manne, etaminese eteer vin i, mg. vig.		
L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLCA 19 EP 50	10
60	KLCA 19 EP 60	10
70	KLCA 19 EP 70	10
80	KLCA 19 EP 80	10
90	KLCA 19 EP 90	10
100	KLCA 19 EP 100	10
110	KLCA 19 EP 110	10
120	KLCA 19 EP 120	10



Schlüter®-KERDI-LINE-A

Design A – SOLID with 19 mm frame, colour coated stainless steel V4A, matte graphite black

L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLA 19 MGS 50	10
60	KLA 19 MGS 60	10
70	KLA 19 MGS 70	10
80	KLA 19 MGS 80	10
90	KLA 19 MGS 90	10
100	KLA 19 MGS 100	10
110	KLA 19 MGS 110	10
120	KLA 19 MGS 120	10



Schlüter®-KERDI-LINE-B

Design B – SQUARE with 19 mm frame, colour coated stainless steel V4A, matte graphite black


L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLB 19 MGS 50	10
60	KLB 19 MGS 60	10
70	KLB 19 MGS 70	10
80	KLB 19 MGS 80	10
90	KLB 19 MGS 90	10
100	KLB 19 MGS 100	10
110	KLB 19 MGS 110	10
120	KLB 19 MGS 120	10



Schlüter®-KERDI-LINE-C


Design C – FRAMED TILE with 19 mm frame, colour coated stainless steel V4A, matte graphite black


L (cm)	H = 19 mm ArtNo.	P (Set)
50	KLCA 19 MGS 50	10
60	KLCA 19 MGS 60	10
70	KLCA 19 MGS 70	10
80	KLCA 19 MGS 80	10
90	KLCA 19 MGS 90	10
100	KLCA 19 MGS 100	10
110	KLCA 19 MGS 110	10
120	KLCA 19 MGS 120	10



Note:

H = 19 mm covering thicknesses 3-15 mm





Note:

Tile pan suitable for tile thicknesses up to 15 mm

My Schlüter®-KERDI-LINE: Creative. Individual. Unique.



Schlüter®-KERDI-LINE-A 19 mm

with deep engraving, grate only (G1)
ArtNo.
* G1

with deep engraving on grate + crosshatch engraving on frame (G1R)
ArtNo.
* G1R

with crosshatch engraving, frame only (GR)
ArtNo.
* GR

Schlüter®-KERDI-LINE-B 19 mm

10 111111
with crosshatch engraving, frame only (GR)
ArtNo.
* GR

Schlüter®-KERDI-LINE-C 19 mm

with crosshatch engraving, frame only (GR)	
ArtNo.	
* GR	

^{*} Add Art. No. (e.g. KLA 19 EB 70 G1R)

with surface engraving, grate only (G2)	
ArtNo.	
* G2	

with surface engraving on grate + crosshatch engraving on frame (G2R)
ArtNo.
* G2R



Deep engraving



Crosshatch engraving

Note:

My Schlüter-KERDI-LINE engravings are **not** currently possible on polished grates and frames or the Schlüter-KERDI-LINE-STYLE grates.

with c	rosshat	tch er	ngraving	,
grate d	only (G	3)	· ·	

grate errif (de)		
	ArtNo.	
	* G3	

with crosshatch engraving on grate and frame (G3R)

rame (G3R)		
	ArtNo.	
	* G3R	



Surface engraving



New creative freedom from Schlüter®-Systems

Visit our website for more information!

qr.schlueter.co.uk/mydesign.aspx





Schlüter®-KERDI-LINE-STYLE: Showers with style



All designs at once


Schlüter®-KERDI-LINE-STYLE: Elegant design grates with contour frame

Design FLORAL

Design CURVE


Design PURE






Schlüter®-KERDI-LINE-STYLE


Schlüter-KERDI-LINE-STYLE are contour frames with elegant design covers made of brushed stainless steel to match Schlüter-KERDI-LINE channel bodies. The slim contour frame is seamlessly height-adjustable to accommodate covering materials in thicknesses from 6 to 18 mm. The covers are available in the design variants FLORAL, CURVE and PURE. (Product data sheet 8.7)














Schlüte	er®-KERDI-LINE-IF-E	
	design, 23 mm frame, steel V4A, brushed	
L (cm)	H = 23 mm ArtNo.	P (Set)
50	KLIFE 23 EB 50	10
60	KLIFE 23 EB 60	10
70	KLIFE 23 EB 70	10
80	KLIFE 23 EB 80	10
90	KLIFE 23 EB 90	10
100	KLIFE 23 EB 100	10
110	KLIFE 23 EB 110	10
120	KLIFE 23 EB 120	10

CURVE o	er®-KERDI-LINE-IF-F lesign, 23 mm frame, steel V4A, brushed	
L (cm)	H = 23 mm ArtNo.	P (Set)
50	KLIFF 23 EB 50	10
60	KLIFF 23 EB 60	10
70	KLIFF 23 EB 70	10
80	KLIFF 23 EB 80	10
90	KLIFF 23 EB 90	10
100	KLIFF 23 EB 100	10
110	KLIFF 23 EB 110	10
120	KLIFF 23 EB 120	10

Schlüter®-KERDI-LINE-IF-G		
	esign, 23 mm frame, steel V4A, brushed	
L (cm)	H = 23 mm ArtNo.	P (Set)
50	KLIFG 23 EB 50	10
60	KLIFG 23 EB 60	10
70	KLIFG 23 EB 70	10
80	KLIFG 23 EB 80	10
90	KLIFG 23 EB 90	10
100	KLIFG 23 EB 100	10
110	KLIFG 23 EB 110	10
120	KLIFG 23 EB 120	10







Note:

H = 23 mm covering thicknesses 6–18 mm

Note:

Covers and frames cannot be combined with Schlüter-KERDI-LINE-A/-B/-C/-D.

Expert attention to detail: Stainless steel connectors


Granted, connectors play just a small part in a drainage installation, but Schlüter-Systems is well-known for its expert attention to detail, even for the smallest of features. For this reason, we offer a stainless steel connector element for our grate/frame combinations.



Schlüter®-KERDI-LINE-FC

Schlüter-KERDI-LINE-FC is a stainless steel insert for the optical appearance between drain frames and grates of multiple Schlüter-KERDI-LINE linear drains when positioned in serial alignment, both in the contour frame and in the profile frame. (Product data sheet 8.7)





Schlüter®-KERDI-LINE-FC	
frame connector, stainless steel V4A, high-gloss	
ArtNo.	P (Unit)
V / KLEP 35	10





Schlüter®-KERDI-LINE-FC	
frame connector, colour coated stainless steel V4A, matte graphite black	
ArtNo.	P (Unit)
V / KL MGS 35	10



Schlüter®-KERDI-LINE-D: Covering supports

Schlüter-KERDI-LINE-D is a frameless channel cover to match KERDI-LINE channel bodies. The covering support features a fleece fabric for bonding with the tile and stone adhesive and is universally suitable for all covering thicknesses.



Schlüter®-KERDI-LINE-D

- Stainless steel covering support
- Available in 14 lengths from 50 to 180 cm in 10 cm increments
- Fits all covering thicknesses


- Ideal for tile and natural stone
- Matches all Schlüter-KERDI-LINE linear drains



Schlüter-KERDI-LINE-D is a frameless channel cover to match Schlüter-KERDI-LINE channel bodies. The covering support features a fleece fabric for bonding with the tile adhesive and is universally suitable for all covering thicknesses.

(Product data sheet 8.7)





Note: The length of the selected covering support must match the channel length. Schlüter-KERDI-LINE-D cannot be combined with the off-centre vertical drain Schlüter-KERDI-LINE-VOS.





Design D – TILE frameless design, stainless steel V4A L (cm) ArtNo. (49 KLD E 50 59 59 KLD E 60 69 69 KLD E 70 79 KLD E 80 80 80		iter®-KERDI-LINE-D	Schlüte
49 KLD E 50 59 KLD E 60 69 KLD E 70			
59 KLD E 60 69 KLD E 70	P (Unit)	ı) ArtNo.	L (cm)
69 KLD E 70	10	KLD E 50	49
	10	KLD E 60	59
79 KLD E 80	10	KLD E 70	69
	10	KLD E 80	79
89 KLD E 90	10	KLD E 90	89
99 KLD E 100	10	KLD E 100	99
109 KLD E 110	10	KLD E 110	109
119 KLD E 120	10	KLD E 120	119
129 KLD E 130	10	KLD E 130	129
139 KLD E 140	10	KLD E 140	139
149 KLD E 150	10	KLD E 150	149
159 KLD E 160	10	KLD E 160	159
169 KLD E 170	10	KLD E 170	169
179 KLD E 180	10	KLD E 180	179



Schlüter®-KERDI-SHOWER sloped trays

Reliable system combination of Schlüter-KERDI waterproofing and sloped tray. To guarantee functionality and quick installation, the matching sloped trays come with an integrated KERDI waterproofing layer on the top.







The sloped trays can easily be cut to size with a utility knife to fit on-site dimensions. The imprinted gridlines on the material aid precision cutting. With the exception of KERDI-SHOWER-TT for intermediate drainage, the boards have a two-piece design to simplify packaging, storage and transport. The sloped tray is simply folded up with the Schlüter-KERDI membrane serving as a hinge. Suitable for linear drainage installations with horizontal or vertical drain. The sections below describe the various installation variants in detail.


- Sloped trays are packaged in space saving folded format
- Imprinted gridlines for precise cutting to smaller dimensions
- Waterproof connection of the shower channel with the supplied Schlüter-KERDI collar
- Easy waterproofing in wall and perimeter areas with Schlüter-KERDI-KEBA
- Sloped board with integrated Schlüter-KERDI waterproofing membrane
- Fleece fabric for bonding with the tile adhesive
- Optimal load distribution
- Bonded waterproofing CE marked assembly with Schlüter-KERDI, -KERDI-BOARD, or -DITRA
- Suitable for linear drainage installations with horizontal or vertical drain



Schlüter®-KERDI-SHOWER Sloped trays


Schlüter-KERDI-SHOWER-LT is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI water-proofing. In showers, it creates a sufficient slope to the centre-installed linear drainage Schlüter-KERDI-LINE. The sloped tray should be installed on a level, flat, load bearing substrate and fitted to the drainage channel on both sides. In cases of vertical drainage, the sloped tray can also be installed directly on suitable substrates. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray.

(Product data sheet 8.8)






Schlüter®-KERDI-SHOWER-LT					
sloped tray for lir	sloped tray for linear drainage, for installation in the centre of tiled areas				
L x B (cm)	H (mm)	ArtNo.	P (Units)		
100 x 100	32	KSLT 1000	10		
122 x 122	34	KSLT 1220	10		
139 x 139	36	KSLT 1395	10		










Schlüter®-KERDI-SHOWER: Sloped trays for installation over screed


Schlüter-KERDI-SHOWER-LTS is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI water-proofing. In showers, it creates a sufficient slope to the linear drainage Schlüter-KERDI-LINE positioned along walls. The sloped tray should be installed on a level, flat, load bearing substrate and fitted to the drainage channel. In cases of vertical drainage, the sloped tray can also be installed directly on suitable substrates. Where necessary the trays can be cut to size with a utility knife, using the premarked cutting grooves on the underside of the tray.

(Product data sheet 8.8)











Schlüter®-KERDI-SHOWER-LTS

sloped tray for linear drainage, for installation in wall transition areas, square

L x B (cm)	H (mm)	ArtNo.	P (Units)
100 x 100	42	KSLT 1000 S	10
122 x 122	46	KSLT 1220 S	10
139 x 139	50	KSLT 1395 S	10

Schlüter®-KERDI-SHOWER-LTS

sloped tray for linear drainage, for installation in wall transition areas, short side

L x B (cm)	H (mm)	ArtNo.	P (Units)
139 x 91	50	KSLT 915 / 1395 S	10
183 x 91	58	KSLT 915 / 1830 S	10
193 x 96	60	KSLT 965 / 1930 S	10
200 x 136	39	KSLT 1365 / 2000 S*	10

^{*} The slope for this board is 1.25 %. It cannot be combined with Schlüter-SHOWERPROFILE-S.

Schlüter®-KERDI-SHOWER-LTS sloped tray for linear drainage, for installation in wall transition areas, long side L x B (cm) H (mm) Art.-No. P (Units) 96 x 193 41 KSLT 1930 / 965 S 10

Note:

Matches Schlüter-KERDI-LINE-H and KERDI-LINE-V – not suitable for Schlüter-KERDI-LINE-F.


Expert attention to detail: Schlüter®-SHOWERPROFILE

Floor-level showers are a popular trend in bathroom design, but their installation can pose challenges. Schlüter-SHOWERPROFILE offers an elegant solution for difficult construction aspects. Whether stylish coverage of sloped edges or a clean appearance of the front edge, Schlüter-Systems is sure to have the right professional solution available, either in high-quality brushed stainless steel or textured colour-coated versions.



Wall connection profile

Schlüter-SHOWERPROFILE-R is a two-part wall connection profile for covering the wall area above a linear drainage system that is exposed due to the slope. The visible surface of the profile consists of brushed or textured colour-coated stainless steel. The profile has a fleece fabric laminated on the reverse side for bonding with the tile adhesive. Due to the two-part design, Schlüter-SHOWERPROFILE-R can be seamlessly adjusted to any height between 23 and 45 mm (available in two versions).






(Product data sheet 14.1)

Schlüter®-SHOWERPROFILE-RA			
two part wall transition profile, brushed stainless steel V4A			
H (mm)	L = 1.00 m ArtNo.	KV (Unit)	
23-35	SPRA 23 EB/100	40	
33-45	SPRA 33 EB/100	40	
	L = 1.40 m		
23-35	SPRA 23 EB/140	40	
33-45	SPRA 33 EB/140	40	

Schlüte	r®-SHOWERPROFILI	E-RA		
two part wall transition profile, textured colour coating stainless steel V4A				
H (mm)	L = 1.00 m ArtNo.	KV (Unit)		
23-35	SPRA 23**/100	40		
23-35	SPRA 23*/100	40		
33-45	SPRA 33**/100	40		
33-45	SPRA 33*/100	40		
	L = 1.40 m			
23-35	SPRA 23**/140	40		
23-35	SPRA 23*/140	40		
33-45	SPRA 33**/140	40		
33-45	SPRA 33*/140	40		



To complete the art. no., add the finish/colour (e.g. SPRA 23 TSC/140)
















- * Finishes/colours: MBW MGS
- ** Finishes/colours: TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG



Tapered profile for sloping edges

Schlüter-SHOWERPROFILE-S is a two-part triangular profile for covering the sloped edges of floor-level showers with a 2% slope for linear drainage. The triangular stainless steel profile with a brushed or textured colour-coated surface has a fleece fabric laminated on the reverse side for bonding with the tile adhesive. A matching rigid PVC support profile is available in different heights and features a U shaped installation channel for floor attachment. The triangular profile can be shortened as necessary on the short and/or long side to fit the relevant height and length. The triangular profile can be used on the left and/or right side of the floor transition or below the tiles of a lateral wall.





(Product data sheet 14.1)

Schlüter®-SHOWERPROFILE-SPS 50

PVC triangular support profile,

brushed stainless steel V4A, H1= 6 mm				
H (mm)	L = 1.20 m ArtNo.	KV (Unit)		
5	SPSA 50 EB/120	40		
	L = 1.60 m			
5	SPSA 50 EB/160	40		
	L = 2.00 m			
5	SPSA 50 EB/200	40		

Schlüter®-SHOWERPROFILE-SPS 100

brushed stainless steel V4A, H1 = 10 mm				
H (mm)	L = 1.20 m ArtNo.	KV (Unit)		
10	SPSB 100 EB/120	40		
	L = 1.60 m			
10	SPSB 100 EB/160	40		
	L = 2.00 m			
10	SPSB 100 EB/200	40		

Schlüter®-SHOWERPROFILE-SPS 125

PVC triangular support profile, brushed stainless steel V4A, H1 = 10 mm				
H (mm)	L = 1.20 m ArtNo.	KV (Unit)		
12.5	SPSB 125 EB/120	40		
	L = 1.60 m			
12.5	SPSB 125 EB/160	40		
	L = 2.00 m			
12.5	SPSB 125 EB/200	40		

Schlüter®-SHOWERPROFILE-SPS 50

PVC triangular support profile, textured colour coating stainless steel V4A, H1= 6 mm

H (mm)	L = 1.20 m ArtNo.	KV (Unit)
5	SPSA 50*/120	40
5	SPSA 50**/120	40
	L = 1.60 m	
5	SPSA 50*/160	40
5	SPSA 50**/160	40
	L = 2.00 m	
5	SPSA 50*/200	40
5	SPSA 50**/200	40

Schlüter®-SHOWERPROFILE-SPS 100

PVC triangular support profile, textured colour coating stainless steel V4A, H1= 10 mm

H (mm)	L = 1.20 m ArtNo.	KV (Unit)
10	SPSB 100*/120	40
10	SPSB 100**/120	40
	L = 1.60 m	
10	SPSB 100*/160	40
10	SPSB 100**/160	40
	L = 2.00 m	
10	SPSB 100*/200	40
10	SPSB 100**/200	40

Schlüter®-SHOWERPROFILE-SPS 125

PVC triangular support profile, textured colour coating stainless steel V4A, H1= 10 mm

H (mm)	L = 1.20 m ArtNo.	KV (Unit)
12,5	SPSB 125*/120	40
12,5	SPSB 125**/120	40
	L = 1.60 m	
12,5	SPSB 125*/160	40
12,5	SPSB 125**/160	40
	L = 2.00 m	
12,5	SPSB 125*/200	40
12,5	SPSB 125**/200	40

To complete the art. no., add the finish/colour (e.g. SPSB 125 MGS/200)


















- * Finishes/colours: MBW MGS
- ** Finishes/colours:


TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG

SPS 50




H = height of support profile SPS 50 is suitable for tile thicknesses from 6 to 9 mm

SPS 100



H = height of support profile SPS 100 is suitable for tile thicknesses from 10 to 18 mm

SPS 125




H = height of support profile SPS 125 is suitable for tile thicknesses from 12.5 to 20 mm



Triangular profile 120 cm: H2 = 30 mm, H1 = 6 mm Triangular profile 160 cm: H2 = 38 mm, H1 = 6 mm Triangular profile 200 cm: H2 = 46 mm, H1 = 6 mm




Triangular profile 120 cm: H2 = 34 mm, H1 = 10 mm Triangular profile 160 cm: H2 = 42 mm, H1 = 10 mm Triangular profile 200 cm: H2 = 50 mm, H1 = 10 mm



Triangular profile 120 cm: H2 = 34 mm, H1 = 10 mm Triangular profile 160 cm: H2 = 42 mm, H1 = 10 mm Triangular profile 200 cm: H2 = 50 mm, H1 = 10 mm

2 % = 2 mm / 10 cm ——



Note:

Tapered profiles with higher support profiles in the heights 15, 18 and 22 mm are available upon request for greater tile thicknesses.



Floor drains for point drain designs


Point drain designs are ever popular and are frequently the first thought when it comes to building barrier-free showers in accordance with official regulations. The proven drain range Schlüter-KERDI-DRAIN offers the right drainage solution, along with visually appealing grates, for every situation. The matching Schlüter-KERDI-SHOWER sloped trays make the installation especially easy.





Schlüter®-KERDI-DRAIN

Schlüter-KERDI-DRAIN is a floor drainage system for installation with Schlüter-KERDI or other bonded waterproof membranes. (Product data sheet 8.2)






The following pages feature all combination options for grate and frame sets and horizontal or vertical floor drain sets. This is followed by a section with individual parts for special solutions or replacements.


Schlüter®-KERDI-DRAIN



Schlüter®-KERDI-DRAIN-MSBB



Schlüter®-KERDI-DRAIN-BASE





Schlüter®-KERDI-DRAIN: Our classics





Design 2 – TRAPEZOID




Design 3 – SQUARE



Design 4 - TILE

Schlüter®-KERDI-DRAIN-STYLE: Elegant design grates with contour frame





Schlüter®-KFRDI-DRAIN: Interior

	Schlüter®-KERDI-DRAIN: Interior norizontal drain and odour trap						
flo	or drain	grate and frame set	10 x 10 cm				
	Schlüter®-KERDI-DRAIN- BASE						
40 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	
VUK 4		ArtNo. KD R10 ED1 SGV	ArtNo. KD R10 V4A D1 SGV	ArtNo. KD R10 EPD1 SGV	ArtNo. KD R10 ED1 GV	ArtNo. KD R10 EOB D1 SGV	
40/20 /			XXX	7			
DN	Drain capacity: 0.4 l/s Min. assembly height: 75 (70) mm	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel		
	ArtNo. KD BH 40	ArtNo. KD R10 ED4 GV	ArtNo. KD IF 10 EB D5 GV	ArtNo. KD IF 10 EB D6 GV	ArtNo. KD IF 10 EB D7 GV		
flo	or drain	grate and frame set	10 x 10 cm				
50 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 - CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	
JK 50		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 EPD1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	
N 50 / L				7			
NO	Drain capacity: 0.6 l/s Min. assembly height: 97 mm	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel		
	ArtNo. KD BH 50 GV	ArtNo. KD R10 ED4	ArtNo. KD IF 10 EB D5	ArtNo. KD IF 10 EB D6	ArtNo. KD IF 10 EB D7		
flo	or drain	grate and frame set	15 x 15 cm				
اڃ							
50 mm	The same of the sa						
X 5							
I							
50/70							
N	Drain capacity: 0.8 l/s Min. assembly height: 115 mm	Design 1 – stainless stee					

Art.-No. KD BH 5070 GVB

Art.-No. KD R15 ED1 SB

Schlüter®-KERDI-DRAIN: Interior horizontal drain and odour trap







grate and frame set	15 x 15 cm / Ø 15 cm
Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC ROUND, stainless steel with screws
ArtNo. KD R15 ED1 S	ArtNo. KD R15 ED1 SR





Example:

All grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap, as the odour trap is integrated into the floor drain set.

All grates accept dirt trapping screen except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



Schlüter®-KERDI-DRAIN: Interior


	or drain	grate and frame set	10 x 10 cm			
mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws
	T	ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 EPD1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S
, 00			XXX	7		
בֿ	Drain capacity: 0.6 l/s	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel	
	ArtNo. KD BV 50 GV	ArtNo. KD R10 ED4	ArtNo. KD IF 10 EB D5	ArtNo. KD IF 10 EB D6	ArtNo. KD IF 10 EB D7	
0	or drain	grate and frame set	10 x 10 cm			
		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws
00 VO		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 EPD1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S
200				7		
	Drain capacity: 0.6 l/s	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel	
	ArtNo. KD BV 50 GVB	ArtNo. KD R10 ED4	ArtNo. KD IF 10 EB D5	ArtNo. KD IF 10 EB D6	ArtNo. KD IF 10 EB D7	
lo	or drain	grate and frame set	15 x 15 cm			
E E						
20						
2						
つ ।			C-0			
) 		(6)	\mathcal{D}			
U	Y					

Design 1 – CLASSIC, stainless steel with screws


Art.-No. KD R15 ED1 SB

Art.-No. KD BAV 50 GVB

Schlüter®-KERDI-DRAIN: Interior Vertical drain and odour trap











Example:

All grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap, as the odour trap is integrated into the floor drain set.


All grates accept dirt trapping screen except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



Schlüter®-KERDI-DRAIN: Interior Vertical drain and odour trap

flo	or drain	grate and frame set	10 x 10 cm			
		Design 1 - CLASSIC,	Design 1 - CLASSIC,	Design 1 - CLASSIC,	Design 1 - CLASSIC,	Design 1 - CLASSIC.
mm		stainless steel with screws	stainless steel V4A with screws	high-gloss stainless steel with screws	stainless steel	stainless steel, bronze oil- rubbed finish, with screws
JK 50 I	T	ArtNo. KD R10 ED1 SGV	ArtNo. KD R10 V4A D1 SGV	ArtNo. KD R10 EPD1 SGV	ArtNo. KD R10 ED1 GV	ArtNo. KD R10 EOB D1 SGV
N 50 / L				7		
DN	Drain capacity: 0.6 l/s	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel	
	ArtNo. KD BV 50	ArtNo. KD R10 ED4 GV	ArtNo. KD IF 10 EB D5 GV	ArtNo. KD IF 10 EB D6 GV	ArtNo. KD IF 10 EB D7 GV	
flo	or drain	grate and frame set	10 x 10 cm			
70 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws
JK 70		ArtNo. KD R10 ED1 SGV	ArtNo. KD R10 V4A D1 SGV	ArtNo. KD R10 EPD1 SGV	ArtNo. KD R10 ED1 GV	ArtNo. KD R10 EOB D1 SGV
DN 70 / L				7		
Ω	Drain capacity: 0.6 l/s	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel	
	ArtNo. KD BV 70	ArtNo. KD R10 ED4 GV	ArtNo. KD IF 10 EB D5 GV	ArtNo. KD IF 10 EB D6 GV	ArtNo. KD IF 10 EB D7 GV	
flo	or drain	grate and frame set	10 x 10 cm			
110 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, high-gloss stainless steel with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws
JK 11		ArtNo. KD R10 ED1 SGV	ArtNo. KD R10 V4A D1 SGV	ArtNo. KD R10 EPD1 SGV	ArtNo. KD R10 ED1 GV	ArtNo. KD R10 EOB D1 SGV
1 100 / L			XXX	7		
DN	Drain capacity: 0.6 l/s	Design 4 – TILE, covering support	Design 5 - FLORAL, brushed stainless steel	Design 6 - CURVE, brushed stainless steel	Design 7 - PURE, brushed stainless steel	
	ArtNo. KD BV 100	ArtNo. KD R10 ED4 GV	ArtNo. KD IF 10 EB D5 GV	ArtNo. KD IF 10 EB D6 GV	ArtNo. KD IF 10 EB D7 GV	

Schlüter®-KERDI-DRAIN: Interior Vertical drain and odour trap











Examples:

All grates feature an odour trap and gasket seal.



Schlüter®-KERDI-DRAIN: Exterior horizontal drain without odour trap

	orizontal drain v	without odol	ır trap			
floc	or drain	grate and frame set	10 x 10 cm			
50 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 - CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID, stainless steel, brushed
JK 50		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
N 50 / L						
		Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
	ArtNo. KD BH 50 B	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
floc	or drain	grate and frame set	10 x 10 cm			
50 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID stainless steel, brushed
JK 50		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
DN 50 / L						
	with sealing connection for bituminous and plastic membranes	Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
	ArtNo. KD BH 50 MSBB	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
cor	nplete set	grate and frame set	15 x 15 cm			
50 / UK 50 mm			<u></u>			

Design 1 – CLASSIC, stainless steel with screws

with sealing connection for bituminous and plastic membranes, with insert for loose installation incl. designer grate KD R15 ED1 S

> Art.-No. KD BH 50 ASLVB

Schlüter®-KERDI-DRAIN: Exterior horizontal drain without odour trap

grate and frame set 15 x 15 cm / Ø 15 cm Design 1 – CLASSIC ROUND, stainless steel with screws Design 1 - CLASSIC, stainless steel with screws Art.-No. KD R15 ED1 SR Art.-No. KD R15 ED1 S grate and frame set 15 x 15 cm / Ø 15 cm Design 1 – CLASSIC, stainless steel Design 1 – CLASSIC ROUND, stainless with screws steel with screws Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 SR



adjustment option. These grates have no odour trap.

KD R15 ED1 SB and KD R15 ED1 SR.


All grates accept dirt trapping screen except for KD R10 ED4, KD R15 ED1 S,

Floor drain set:

- a Drain casing with waterproofing connection
- b Stainless steel flange ring
- c Schlüter®-TROBA-PLUS 8 drainage collar
- d Inlet element
- e Thin-set insert
- f Schlüter®-KERDI collar

Grate/frame set:

- g Height adjustment ring
- h Stainless steel grate and frame





Schlüter®-KERDI-DRAIN: Exterior vertical drain without odour trap

flo	or drain	grate and frame set	10 x 10 cm			
		Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel V4A	Design 1 – CLASSIC, stainless steel	Design 1 - CLASSIC, stainless steel, bronze oil-	Design 2 – TRAPEZOID, stainless steel,
		with screws	with screws		rubbed finish, with screws	brushed
	-	ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
		Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
	ArtNo. KD BV 50	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
flo	or drain	grate and frame set	10 x 10 cm			
mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID, stainless steel, brushed
JK 70		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
N 70 / L						
		Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
	ArtNo. KD BV 70	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
flo	or drain	grate and frame set	10 x 10 cm			
110 mm		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID, stainless steel, brushed
UK 110		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
100 / UI						
N N		Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
	ArtNo. KD BV 100	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			

Schlüter®-KERDI-DRAIN: Exterior vertical drain without odour trap

grate and frame set 15 x 15 cm / Ø 15 cm

Design 1 – CLASSIC ROUND, stainless steel with screws Design 1 - CLASSIC, stainless steel with screws Art.-No. KD R15 ED1 SR Art.-No. KD R15 ED1 S grate and frame set 15 x 15 cm / Ø 15 cm Design 1 – CLASSIC, stainless steel Design 1 – CLASSIC ROUND, stainless with screws steel with screws Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 SR grate and frame set 15 x 15 cm / Ø 15 cm Design 1 - CLASSIC, Design 1 - CLASSIC stainless steel **ROUND**, stainless with screws steel with screws Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 SR





Example:

All floor drain grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap.

All grates accept dirt trapping screen except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



Schlüter®-KERDI-DRAIN: Exterior

loor drain		grate and frame set	10 x 10 cm			
Contract of the Contract of th		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID, stainless steel, brushed
4		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
	T					
		Design 3 – SQUARE, stainless steel, brushed	Design 4 - TILE, covering support			
ŀ	ArtNo. KD BV 50 B	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
oor drain		grate and frame set	10 x 10 cm		l	
E e						
		Design 1 – CLASSIC, stainless steel with screws	Design 1 – CLASSIC, stainless steel V4A with screws	Design 1 – CLASSIC, stainless steel	Design 1 – CLASSIC, stainless steel, bronze oil- rubbed finish, with screws	Design 2 – TRAPEZOID, stainless steel, brushed
		ArtNo. KD R10 ED1 S	ArtNo. KD R10 V4A D1 S	ArtNo. KD R10 ED1	ArtNo. KD R10 EOB D1 S	ArtNo. KD R10 ED2
for bitun	ealing connection minous and plastic membranes	Design 3 – SQUARE, stainless steel, brushed	Design 4 – TILE, covering support			
KD	ArtNo.) BV 50 MSBB	ArtNo. KD R10 ED3	ArtNo. KD R10 ED4			
mplete se	et	grate and frame set	15 x 15 cm			

Design 1 – CLASSIC, stainless steel with screws

with sealing connection for bituminous and plastic membranes, with insert for loose installation incl. designer grate KD R15 ED1 S

Art.-No. KD BV 50 ASLVB

Schlüter®-KERDI-DRAIN: Exterior vertical drain without odour trap

grate and frame set 15 x 15 cm / Ø 15 cm

Design 1 - CLASSIC, stainless steel with screws Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 S Design 1 - CLASSIC, KD R15 ED1 SR Design 1 - CLASSIC, stainless steel with screws Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 S Art.-No. KD R15 ED1 SR






Example:

All floor drain grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap.

All grates accept dirt trapping screen except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



Schlüter®-KERDI-DRAIN-KD 10



ΚD	10	MO	900	1800

Schlüter®-KERDI-DRAIN-DR KERDI collar (d = 17.5) L x B (cm) Art.-No. (Unit) KD 10 M 45 x 45 10 KD 10 M 900 90 x 90 10 100 x 100 KD 10 M 1000 10 120 x 120 KD 10 M 1200 10 150 x 150 KD 10 M 1500 10

Schlüter®-KERDI-DRAIN-DR					
KERDI col	KERDI collar, off-centre drainage				
L x B (cm)	L x B (cm) ArtNo.				
180 x 90	KD 10 MO 900 1800	10			

Schlüter®-KERDI-DRAIN-KD 10 SF

Schlüter-KERDI-DRAIN-KD 10 SF is a dirt trapping screen that simplifies the regular cleaning of floordrains. (Product data sheet 8.2)

Schlüter®-KERDI-DRAIN-KD	10 SF
dirt trapping screen	
ArtNo.	P (Unit)
KD 10 SF	10



Schlüter®-KERDI-DRAIN-R/-RL

Schlüter-KERDI-DRAIN-R / -RL are renovation grates that can be installed into the tile covering above existing floor drains in building renovation projects.

(Product data sheet 8.2)

grate for retrofit 15 x 15 cm	
ArtNo.	P (Unit)
KD 15 R	



Grate for retrofit installation to existing floor drains.

Schlüter®-KERDI-DRAIN-RL			
grate for retrofit, with centre hole 15 x 15 cm			
ArtNo.	P (Unit)		
KD 15 RL	10		



Grate for retrofit installation to existing floor drains, which need to be connected to a continuous drain pipe.

Schlüter®-KERDI-DRAIN-BASE

Schlüter-KERDI-DRAIN-BASE is a drain body for combination with the insert KD BV 100 and a grate and frame set with odour trap and gasket seal.

(Product data sheet 8.2)

Schlüter®-KERDI-DRAIN-BASE			
drain body			
DN	ArtNo.	P (Unit)	
DN 40 (40 mm)	KD 10 BH 40/50	10	



Schlüter®-KERDI-DRAIN

Grates without frame for replacement in existing installations.

(Product data sheet 8.2)

Schlüter®-KERDI-DRAIN Grates

individual grates for standard frames

	~	
L x B (cm)	ArtNo.	P (Unit)
10 x 10	KD GR 10 EP D1 S	10
10 x 10	KD GR 10 E D1 S	10
10 x 10	KD GR 10 V4A D1 S	10
10 x 10	KD GR 10 E D1	10
10 x 10	KD GR 10 E D2	10
10 x 10	KD GR 10 E D3	10
10 x 10	KD GR 10 E D4	10
15 x 15	KD GR 15 E D1 S	10
15 x 15	KD GR 15 E D1 SR	10

Schlüter®-KERDI-DRAIN-STYLE Grates

individual grates for contour frames

L x B (cm)	ArtNo.	P (Unit)
10 x 10	KD GIF 10 EB D5	10
10 x 10	KD GIF 10 EB D6	10
10 x 10	KD GIF 10 EB D7	10

Note:

Covers are only interchangeable within the corresponding frame design.

L x B = cm corresponds to frame size















KD GR 10 E D1 S KD GR 10 V4A D1 S - CLASSIC

- CLASSIC

KD GR 10 E D1 - CLASSIC

KD GR 10 EP D1 S - CLASSIC

KD GR 10 E D2 - TRAPEZOID

KD GR 10 E D3 - SQUARE

KD GR 10 E D4 - TILE









KD GIF 10 EB D5 - KD GIF 10 EB D6 - KD GIF 10 EB D7 -**FLORAL PURE CURVE**

KD GR 15 E D1 S - CLASSIC

KD GR 15 E D1 SR - CLASSIC ROUND

Schlüter®-KERDI-DRAIN-BS

Schlüter-KERDI-DRAIN-BS is an approved fire protection insert, which prevents the spread of fire between floor-levels in conjunction with the floor drain set KD BAV 50 GVB.

(Product data sheet 8.2)

(Product data sheet 8.2)

Schlüter®-KERDI-DRAIN-BS		
fire protection insert		
ArtNo.	P (Unit)	
KD BS	10	



Schlüter®-KERDI-DRAIN-ZBS

Schlüter-KERDI-DRAIN-ZBS is a transition seal for fire protection. It is an alternative to mortar and serves, in conjunction with the vertical floor drain set KD BAV 50 GVB or the vertical stainless steel linear drainage KLV 50 G2, as a fire insulation seal of the core hole drilling (Ø 160 mm), while also preventing sound bridges. The product is only approved for fire protection in conjunction with KD BS or KL BS.

Schlüter®-KERDI-DRAIN-ZBS

passage seal with fire protection function		
ArtNo.	P (Unit)	
KD ZBS	10	






Schlüter®-KERDI-SHOWER: Sloped trays for floor-level showers with point drains



Schlüter®-KERDI-SHOWER-T


Schlüter-KERDI-SHOWER-T is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to a centre-installed point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray should be installed on a flat, level, load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.






(Product data sheet 8.6)

Schlüter®-KERDI-SHOWER-T			
sloped tray for ce	entre drainage		
L x B (cm)	H (mm)	ArtNo.	P (Units)
152 x 152	30	KST 1525	10
183 x 183	32	KST 1830	10
152 x 96	29	KST 965 / 1525	10
152 x 122	28	KST 1220 / 1525	10
183 x 122	32	KST 1220 / 1830	10






Schlüter®-KERDI-SHOWER-TS


Schlüter-KERDI-SHOWER-TS is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to an off-centre point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray should be installed on a flat, level, load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.

(Product data sheet 8.6)






Schlüter®-KERDI-SHOWER-TS			
sloped tray for off-centre drainage			
L x B (cm)	H (mm)	ArtNo.	P (Units)
152 x 96	28	KST 965 / 1525 S	10



Schlüter®-KERDI-SHOWER-TT

Schlüter-KERDI-SHOWER-TT is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to a centre-installed or off-centre point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray should be installed on a flat, level and load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.


(Product data sheet 8.6)







Schlüter®-KERDI-SHOWER-TT				
sloped tray	sloped tray for centre drainage			
L x B (cm)	H (mm)	ArtNo.	P (Units)	
91 x 91	22	KST 915 BF	10	
101 x 101	23	KST 1015 BF	10	
122 x 122	25	KST 1220 BF	10	
96 x 81	23	KST 965 / 810 BF	10	
122 x 91	25	KST 915 / 1220 BF	10	











Schlüter®-KERDI-SHOWER-SK/-SKB

Schlüter-KERDI-SHOWER-SK is a waterproofing set for showers. It includes Schlüter-KERDI for waterproofing the wall areas of showers as well as the corresponding prefabricated parts for internal corners and pipe sleeves. The set also includes Schlüter-KERDI-KEBA sealing band for waterproofing the abutting joints of the membranes and floor-wall transitions and Schlüter-KERDI-COLL-L sealing adhesive for waterproofing the sealing band and prefabricated parts. The waterproofing set Schlüter-KERDI-SHOWER-SKB also comes with a Schlüter-KERDI-DRAIN-BASE floor drain. Schlüter-KERDI-SHOWER-SK is suitable for conventional barrier free showers and for combination with the floor components Schlüter-KERDI-SHOWER-LTS, -T, -TS and -TT.



The waterproofing set Schlüter-KERDI-SHOWER-SKB includes the floor drain set "KD BH 40" and the grate and frame set "KD R10 ED1 SGV".








Schlüter®-KERDI-KEBA 12.5 cm x 10 m




Schlüter®-KERDI-KERECK/FI



Schlüter®-KERDI-COLL-L 1.85 kg* / 4.25 kg**



KERDI-DRAIN-BASE1 Set (with Design grate 1)



Schlüter®-KERDI-KM 2 pcs. Ø 150 mm

Schlüter®-KERDI-SHOWER-SK waterproofing set Art.-No. PL (Set) 90 x 90 / 100 x 100 KSS 5* 9 120 x 120 / 150 x 150 KSS 10** 9

Schlüter®-KERDI-SHOWER-SKB		
waterproofing set with floor of	Irain	
L x B (cm)	ArtNo.	PL (Set)
90 x 90 / 100 x 100	KSS 5 KD10 EH 40*	9
120 x 120 / 150 x 150	KSS 10 KD10 EH 40**	9

Schlüter®-KERDI-SHOWER system

Safe and easy installation

- The drain is accessible during attachment to the drain pipe, which allows for safe, easy installation and leak testing.
- Schlüter-KERDI-SHOWER boards are sloped at the required angle.
- Proven Schlüter-KERDI-DRAIN insert with adhesive flange guarantees a secure connection to the waterproofing assembly.
- With horizontal drainage, the height of the grate is flexibly adjustable from 3 to 30 mm (with integrated odour trap: 3-15 mm), making it ideally suited for the material thicknesses of glass mosaics, natural stone, ceramics, or other coatings.
- With vertical drainage, covering thicknesses from 3 to 30 mm may be used. The covering support of Design 4 accommodates all covering thicknesses.
- Schlüter-KERDI-SHOWER board can be used for angular and round showers.

Minimal assembly height

- sloped tray height is 22–60 mm plus covering material (depending on the size)
- integrated odor trap in the grate frame guarantees assembly height and easy cleaning
- vertical drain connections running through the weight-bearing substrate can reduce the assembly height even further (22–40 mm plus covering material)



Pre-fabricated components

Schlüter-KERDI-SHOWER is especially easy to handle. The two-part panels are simply snapped together or folded at the construction site; installing the one-piece sloped tray for intermediate point drainage requires no preparation. Schlüter-KERDI-DRAIN floor drains and connection sets consist of a small number of individual parts, which makes the installation quick and easy.



Grate adjustment

The grates can be flexibly adjusted to the thickness of the tiles. All insert elements without integrated odour trap allow for horizontal adjustment of the grate.



Drain capacity

Depending on the required drain capacity, you can choose from drain models with capacities from 0.4 to 1.8 l/s for combination with Schlüter-KERDI-SHOWER panels.



Cleaning

Designs 1, 2 and 3 (without odour traps), of the grate and frame sets have an integrated dirt trapping screen. For cleaning Schlüter-KERDI-DRAIN-BASE or grate and frame sets with integrated odour traps, simply remove the odour trap.



Central drain

Official sources recommend a centred drain design for showers constructed without barriers for elderly, infirm or disabled access for elderly, infirm or disabled, since this allows users to make optimal use of the shower.




Tile formats

Schlüter-KERDI-SHOWER does not restrict the selection of tile formats and can be used with any tile format, ranging from large format tiles to mosaics. This also applies to specific anticipated traffic loads, for example from wheelchairs (see also product data sheet 8.6).




Schlüter®-SHELF-E-S1


Schlüter-SHELF-E-S1 are triangular shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TREND-LINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S1 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls.






(Product data sheet 17.1)







Schlüter®-SHELF-E-S1	
shelf, FLORAL design, brushed stainless steel	
Art. No.	P (Unit)
SE S1 D5 EB	10

Schlüter®-SHELF-E-S1	
shelf, CURVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S1 D6 EB	10









Schlüter®-SHELF-E-S1	
shelf, PURE design, brushed stainless steel	
Art. No.	P (Unit)
SE S1 D7 EB	10

Schlüter®-SHELF-E-S1	
shelf, SQUARE design, brushed stainless steel	
Art. No.	P (Unit)
SE S1 D3 EB	10

Schlüter®-SHELF-E-S1	
shelf, WAVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S1 D10 EB	10








Schlüter®-SHELF-E-S1	
shelf, FLORAL design, textured aluminium	
Art. No.	P (Unit)
SE S1 D5 MBW	10
SE S1 D5 MGS	10
SE S1 D5 TSBG	10
SE S1 D5 TSC	10
SE S1 D5 TSDA	10
SE S1 D5 TSI	10
SE S1 D5 TSOB	10
SE S1 D5 TSSG	10

Schlüter®-SHELF-E-S1	
shelf, CURVE design, textured aluminium	
Art. No.	P (Unit)
SE S1 D6 MBW	10
SE S1 D6 MGS	10
SE S1 D6 TSBG	10
SE S1 D6 TSC	10
SE S1 D6 TSDA	10
SE S1 D6 TSI	10
SE S1 D6 TSOB	10
SE S1 D6 TSSG	10

Also for retrofit installation –
textured aluminium now available
in three new designs:
PURE, SQUARE and WAVE







Schlüter®-SHELF-E-S1	
shelf, PURE design, textured aluminium	
Art. No.	P (Unit)
SE S1 D7 MBW	10
SE S1 D7 MGS	10
SE S1 D7 TSBG	10
SE S1 D7 TSC	10
SE S1 D7 TSDA	10
SE S1 D7 TSI	10
SE S1 D7 TSOB	10
SE S1 D7 TSSG	10

Schlüter®-SHELF-E-S1	
shelf, SQUARE design, textured aluminium	
Art. No.	P (Unit)
SE S1 D3 MBW	10
SE S1 D3 MGS	10
SE S1 D3 TSBG	10
SE S1 D3 TSC	10
SE S1 D3 TSDA	10
SE S1 D3 TSI	10
SE S1 D3 TSOB	10
SE S1 D3 TSSG	10


Schlüter®-SHELF-E-S1	
shelf, WAVE design, textured aluminium	
Art. No.	P (Unit)
SE S1 D10 MBW	10
SE S1 D10 MGS	10
SE S1 D10 TSBG	10
SE S1 D10 TSC	10
SE S1 D10 TSDA	10
SE S1 D10 TSI	10
SE S1 D10 TSOB	10
SE S1 D10 TSSG	10




Schlüter®-SHELF-E-S2

Schlüter-SHELF-E-S2 are pentagonal shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S2 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls.


(Product data sheet 17.1)





















Schlüter®-SHELF-E-S2	
shelf, CURVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S2 D6 EB	10








Schlüter®-SHELF-E-S2	
shelf, WAVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S2 D10 EB	10








Schlüter®-SHELF-E-S2	
shelf, FLORAL design, textured aluminium	
Art. No.	P (Unit)
SE S2 D5 MBW	10
SE S2 D5 MGS	10
SE S2 D5 TSBG	10
SE S2 D5 TSC	10
SE S2 D5 TSDA	10
SE S2 D5 TSI	10
SE S2 D5 TSOB	10
SE S2 D5 TSSG	10

Schlüter®-SHELF-E-S2	
shelf, CURVE design, textured aluminium	
Art. No.	P (Unit)
SE S2 D6 MBW	10
SE S2 D6 MGS	10
SE S2 D6 TSBG	10
SE S2 D6 TSC	10
SE S2 D6 TSDA	10
SE S2 D6 TSI	10
SE S2 D6 TSOB	10
SE S2 D6 TSSG	10









Schlüter®-SHELF-E-S2	
shelf, PURE design, textured aluminium	
Art. No.	P (Unit)
SE S2 D7 MBW	10
SE S2 D7 MGS	10
SE S2 D7 TSBG	10
SE S2 D7 TSC	10
SE S2 D7 TSDA	10
SE S2 D7 TSI	10
SE S2 D7 TSOB	10
SE S2 D7 TSSG	10


Schlüter®-SHELF-E-S2	
shelf, SQUARE design, textured aluminium	
Art. No.	P (Unit)
SE S2 D3 MBW	10
SE S2 D3 MGS	10
SE S2 D3 TSBG	10
SE S2 D3 TSC	10
SE S2 D3 TSDA	10
SE S2 D3 TSI	10
SE S2 D3 TSOB	10
SE S2 D3 TSSG	10

Schlüter®-SHELF-E-S2	
shelf, WAVE design, textured aluminium	
Art. No.	P (Unit)
SE S2 D10 MBW	10
SE S2 D10 MGS	10
SE S2 D10 TSBG	10
SE S2 D10 TSC	10
SE S2 D10 TSDA	10
SE S2 D10 TSI	10
SE S2 D10 TSOB	10
SE S2 D10 TSSG	10





Schlüter®-SHELF-E-S3

Schlüter-SHELF-E-S3 are quadrangular shelves with asymmetrical side lengths for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S3 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls. (Product data sheet 17.1)













Schlüter®-SHELF-E-S3	
shelf, CURVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S3 D6 EB	10









P (Unit)
10

Schlüter®-SHELF-E-S3	
shelf, SQUARE design, brushed stainless steel	
Art. No.	P (Unit)
SE S3 D3 EB	10

Schlüter®-SHELF-E-S3	
shelf, WAVE design, brushed stainless steel	
Art. No.	P (Unit)
SE S3 D10 EB	10







Schlüter®-SHELF-E-S3	
shelf, FLORAL design, textured aluminium	
Art. No.	P (Unit)
SE S3 D5 MBW	10
SE S3 D5 MGS	10
SE S3 D5 TSBG	10
SE S3 D5 TSC	10
SE S3 D5 TSDA	10
SE S3 D5 TSI	10
SE S3 D5 TSOB	10
SE S3 D5 TSSG	10

Schlüter®-SHELF-E-S3	
shelf, CURVE design, textured aluminium	
Art. No.	P (Unit)
SE S3 D6 MBW	10
SE S3 D6 MGS	10
SE S3 D6 TSBG	10
SE S3 D6 TSC	10
SE S3 D6 TSDA	10
SE S3 D6 TSI	10
SE S3 D6 TSOB	10
SE S3 D6 TSSG	10









Schlüter®-SHELF-E-S3	
shelf, PURE design, textured aluminium	
Art. No.	P (Unit)
SE S3 D7 MBW	10
SE S3 D7 MGS	10
SE S3 D7 TSBG	10
SE S3 D7 TSC	10
SE S3 D7 TSDA	10
SE S3 D7 TSI	10
SE S3 D7 TSOB	10
SE S3 D7 TSSG	10

Schlüter®-SHELF-E-S3	
shelf, SQUARE design, textured aluminium	
Art. No.	P (Unit)
SE S3 D3 MBW	10
SE S3 D3 MGS	10
SE S3 D3 TSBG	10
SE S3 D3 TSC	10
SE S3 D3 TSDA	10
SE S3 D3 TSI	10
SE S3 D3 TSOB	10
SE S3 D3 TSSG	10


Schlüter®-SHELF-E-S3	
shelf, WAVE design, textured aluminium	
Art. No.	P (Unit)
SE S3 D10 MBW	10
SE S3 D10 MGS	10
SE S3 D10 TSBG	10
SE S3 D10 TSC	10
SE S3 D10 TSDA	10
SE S3 D10 TSI	10
SE S3 D10 TSOB	10
SE S3 D10 TSSG	10




Schlüter®-SHELF-N


Schlüter-SHELF-N are rectangular shelves for use in prefabricated Schlüter-KERDI-BOARD-N niches. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE, in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. They are precisely fitted as a shelf in KERDI-BOARD-N niches during tile installation.

(Product data sheet 17.1)










Schlüter®-SHELF-N-S1	
shelf, FLORAL design, brushed stainless steel	
Art. No.	P (Unit)
SN S1 D5 EB	10

Schlüter®-SHELF-N-S1	
shelf, CURVE design, brushed stainless steel	
Art. No.	P (Unit)
SN S1 D6 EB	10



300 mm
SQUARE

8 300 mm
WAVE


Schlüter®-SHELF-N-S1	
shelf, PURE design, brushed stainless steel	
Art. No.	P (Unit)
SN S1 D7 EB	10


Schlüter®-SHELF-N-S1	
shelf, SQUARE design, brushed stainless steel	
Art. No.	P (Unit)
SN S1 D3 EB	10

Schlüter®-SHELF-N-S1	
shelf, WAVE design, brushed stainless steel	
Art. No.	P (Unit)
SN S1 D10 EB	10

Note:

The Schlüter-KERDI-BOARD-N niches can be found in our price list.








Schlüter®-SHELF-N-S1	
shelf, FLORAL design, textured aluminium	
Art. No.	P (Unit)
SN S1 D5 MBW	10
SN S1 D5 MGS	10
SN S1 D5 TSBG	10
SN S1 D5 TSC	10
SN S1 D5 TSDA	10
SN S1 D5 TSI	10
SN S1 D5 TSOB	10
SN S1 D5 TSSG	10

Schlüter®-SHELF-N-S1	
shelf, CURVE design, textured aluminium	
Art. No.	P (Unit)
SN S1 D6 MBW	10
SN S1 D6 MGS	10
SN S1 D6 TSBG	10
SN S1 D6 TSC	10
SN S1 D6 TSDA	10
SN S1 D6 TSI	10
SN S1 D6 TSOB	10
SN S1 D6 TSSG	10









Schlüter®-SHELF-N-S1	
shelf, PURE design, textured aluminium	
Art. No.	P (Unit)
SN S1 D7 MBW	10
SN S1 D7 MGS	10
SN S1 D7 TSBG	10
SN S1 D7 TSC	10
SN S1 D7 TSDA	10
SN S1 D7 TSI	10
SN S1 D7 TSOB	10
SN S1 D7 TSSG	10


Schlüter®-SHELF-N-S1	
shelf, SQUARE design, textured aluminium	
Art. No.	P (Unit)
SN S1 D3 MBW	10
SN S1 D3 MGS	10
SN S1 D3 TSBG	10
SN S1 D3 TSC	10
SN S1 D3 TSDA	10
SN S1 D3 TSI	10
SN S1 D3 TSOB	10
SN S1 D3 TSSG	10

Schlüter®-SHELF-N-S1	
shelf, WAVE design, textured aluminium	
Art. No.	P (Unit)
SN S1 D10 MBW	10
SN S1 D10 MGS	10
SN S1 D10 TSBG	10
SN S1 D10 TSC	10
SN S1 D10 TSDA	10
SN S1 D10 TSI	10
SN S1 D10 TSOB	10
SN S1 D10 TSSG	10




Schlüter®-SHELF-W


Schlüter-SHELF-W are rectangular shelves for wall surfaces. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. Their trapezoid perforated anchoring legs are integrated into the tile assembly during tile installation. They are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls.






(Product data sheet 17.1)







Schlüter®-SHELF-W-S1	
shelf, FLORAL design, brushed stainless steel	
Art. No.	P (Unit)
SW S1 D5 FR	10











Schlüter®-SHELF-W-S1	
shelf, PURE design, brushed stainless steel	
Art. No.	P (Unit)
SW S1 D7 EB	10

Schlüter®-SHELF-W-S1	
shelf, SQUARE design, brushed stainless steel	
Art. No.	P (Unit)
SW S1 D3 EB	10

Schlüter®-SHELF-W-S1	
shelf, WAVE design, brushed stainless steel	
Art. No.	P (Unit)
SW S1 D10 EB	10








Schlüter®-SHELF-W-S1	
shelf, FLORAL design, textured aluminium	
Art. No.	P (Unit)
SW S1 D5 MBW	10
SW S1 D5 MGS	10
SW S1 D5 TSBG	10
SW S1 D5 TSC	10
SW S1 D5 TSDA	10
SW S1 D5 TSI	10
SW S1 D5 TSOB	10
SW S1 D5 TSSG	10

Schlüter®-SHELF-W-S1	
shelf, CURVE design, textured aluminium	
Art. No.	P (Unit)
SW S1 D6 MBW	10
SW S1 D6 MGS	10
SW S1 D6 TSBG	10
SW S1 D6 TSC	10
SW S1 D6 TSDA	10
SW S1 D6 TSI	10
SW S1 D6 TSOB	10
SW S1 D6 TSSG	10









Schlüter®-SHELF-W-S1	
shelf, PURE design, textured aluminium	
Art. No.	P (Unit)
SW S1 D7 MBW	10
SW S1 D7 MGS	10
SW S1 D7 TSBG	10
SW S1 D7 TSC	10
SW S1 D7 TSDA	10
SW S1 D7 TSI	10
SW S1 D7 TSOB	10
SW S1 D7 TSSG	10


Schlüter®-SHELF-W-S1	
shelf, SQUARE design, textured aluminium	
Art. No.	P (Unit)
SW S1 D3 MBW	10
SW S1 D3 MGS	10
SW S1 D3 TSBG	10
SW S1 D3 TSC	10
SW S1 D3 TSDA	10
SW S1 D3 TSI	10
SW S1 D3 TSOB	10
SW S1 D3 TSSG	10

Schlüter®-SHELF-W-S1	
shelf, WAVE design, textured aluminium	
Art. No.	P (Unit)
SW S1 D10 MBW	10
SW S1 D10 MGS	10
SW S1 D10 TSBG	10
SW S1 D10 TSC	10
SW S1 D10 TSDA	10
SW S1 D10 TSI	10
SW S1 D10 TSOB	10
SW S1 D10 TSSG	10



Reliable splash protection and more

Floor-level showers offer many advantages, including stepless access, suitability for elderly and disabled users, and ease of cleaning. They are quick and reliable to install with products and solutions from Schlüter-Systems. With Schlüter-SHOWERPROFILE-WS, we have created another component for perfect showers. The innovative splash protection profiles keep the water where it belongs – in the shower. Our profiles Schlüter-RENO and Schlüter-DILEX-KS are classic alternatives for creating unobtrusive access design.




Schlüter®-SHOWERPROFILE-WS


Schlüter-SHOWERPROFILE-WS is a two-piece profile of anodised aluminium that serves as a splashguard in floor-level showers. The support profile is embedded in the tile adhesive during tile installation. It can be fitted with a semi-circular or upright straight lip to protect against splashing, both variations are suitable for wheelchair use.

(Product data sheet 14.2)









Schlüter®-SHOWERPROFILE-WS	
support profile, anodised aluminium, natural satin	
L = 1 m ArtNo.	P (Unit)
SPWS 19 AE / 100	40
L = 2.5 m	
SPWS 19 AE	40
L = 3 m	
SPWS 19 AE / 300	40

Schlüter®-SHOWERPROFILE-WSC	
semi-circular lip	
P (Unit)	
40	
40	
40	

Schlüter®-SHOWERPROFILE-WSL	
straight lip	
L = 1 m ArtNo.	P (Unit)
SPWSL 30 T / 100	40
L = 2.5 m	
SPWSL 30 T	40
L = 3 m	
SPWSL 30 T / 300	40




Schlüter®-SHOWERPROFILE-WSK

Schlüter-SHOWERPROFILE-WSK is a twopiece profile of anodised aluminium that serves as a splashguard in floor-level showers. The support profile is retrofit adhered to existing coverings. It can be fitted with a semi-circular or upright straight lip to protect against splashing. Both variations are suitable for wheelchair use.

(Product data sheet 14.2)









Schlüter®-SHOWERPROFILE-WSK	
support profile, anodised aluminium, natural satin	
L = 1 m ArtNo.	P (Unit)
SPWSK 52 AE / 100	40
L = 2.5 m	
SPWSK 52 AE	40
L = 3 m	
SPWSK 52 AE / 300	40

Schlüter®-SHOWERPROFILE-WSK/EK			
end cap			
ArtNo. P (Unit)			
EK / SPWSK 52 AE	50		

Schlüter®-SHOWERPROFILE-WSC			
semi-circular lip			
L = 1 m ArtNo.	P (Unit)		
SPWSC 16 GS / 100	40		
L = 2.5 m			
SPWSC 16 GS	40		
L = 3 m			
SPWSC 16 GS / 300	40		








Installation variant A: Floor-level transition with movement profile

Schlüter-DILEX-KS is a movement profile with edge protection consisting of lateral anchoring legs made of aluminium or stainless steel, which are connected to a replaceable movement zone made of soft rubber. (Product data sheet 4.8)






Schlüter®-DILEX-EKSN					
stainless	stainless steel V2A				
H (mm)	H (mm) L = 2.5 m ArtNo.				
8	EKSN 80*	40			
10	EKSN 100*	40			
11	EKSN 110*	40			
12.5	EKSN 125*	40			
14	EKSN 140*	40			
16	EKSN 160*	40			
18.5	EKSN 185*	40			
21	EKSN 210*	40			
25	EKSN 250*	40			
30	EKSN 300*	40			


^{*} to complete the Art.-No., add the colour (e.g. EKSN 100 HB). Colours: C - DA - FG - G - GS - HB - PG - SG

Installation variant B: Splash protection with Schlüter®-RENO-U

Schlüter-RENO-U is a profile for the stepless transition between floor coverings of different heights. The integrated spacer creates a uniform grout joint. Schlüter-RENO-EU, Schlüter-RENO-EBU and Schlüter-RENO-MU do not have a joint spacer.

(Product data sheet 1.2)





Schlüter®-RENO-EBU			
brushed stainless steel V2A			
H (mm)	B (mm)	L = 2.5 m ArtNo.	KV (Unit)
8	13	EBU 80	60
10	17.5	EBU 100	60
11	20	EBU 110	60
12.5	23	EBU 125	60
15	28	EBU 150	60
17.5	33.5	EBU 175	60
20	44.5	EBU 200	60
		L = 1 m	
8	13	EBU 80/100	60
10	17.5	EBU 100/100	60
11	20	EBU 110/100	60
12.5	23	EBU 125/100	60

Attachment profile for glass screens

This profile offers more than is evident at first glance. Schlüter-DECO-SG can of course be used for creating elegant shadow joints in wall coverings, but its true purpose is to provide secure attachment for shower components made of glass. The U-shaped insertion gap offers secure attachment on walls and the floor. It is a useful addition to the comprehensive product portfolio of barrier-free shower designs by Schlüter-Systems, where even the installation itself is enjoyable.






Secure attachment of glass screens

Schlüter-DECO-SG is a decorative profile for joint design in tile coverings. It forms a shadow gap, which is ideally suited for the insertion and attachment of glass elements in floor and wall areas.


(Product data sheet 2.16)



Shower enclosure with Schlüter-DECO-SG and Schlüter-SHOWERPROFILE.



Schlüter®-DECO-SG-AE			
anodised aluminium, B = 12 mm			
H (mm)	L = 2.50 m ArtNo.	KV (Unit)	
8	SG 80 AE 12	120	
10	SG 100 AE 12	120	
11	SG 110 AE 12	120	
12.5	SG 125 AE 12	120	





Schlüter®-DECO-SG-AE			
anodised aluminium, B = 15 mm			
H (mm)	L = 2.50 m ArtNo.	KV (Unit)	
8	SG 80 AE 15	120	
10	SG 100 AE 15	120	
11	SG 110 AE 15	120	
12.5	SG 125 AE 15	120	


Schlüter®-DECO-SG-EB			
brushed stainless steel V4A, B = 12 mm			
H (mm)	L = 2.50 m ArtNo.	KV (Unit)	
8	SG 80 EB 12	120	
10	SG 100 EB 12	120	
11	SG 110 EB 12	120	
12.5	SG 125 EB 12	120	

Schlüter®-DECO-SG-EB			
brushed stainless steel V4A, B = 15 mm			
H (mm)	L = 2.50 m ArtNo.	KV (Unit)	
8	SG 80 EB 15	120	
10	SG 100 EB 15	120	
11	SG 110 EB 15	120	
12.5	SG 125 EB 15	120	

Schlüter-DECO-SGC is a decorative and functional profile for joint design in tile coverings. It was specifically developed for corner transitions from tiled to plastered wall coverings. The profile is installed in the tiled wall covering of showers, using the anchoring leg situated behind the U-shaped insertion groove.

(Product data sheet 2.16)





Schlüter®-DECO-SGC-AE				
anodised	anodised aluminium, B = 12 mm			
H (mm)	H (mm) L = 2.50 m ArtNo.			
8	SGC 80 AE 12	120		
10	SGC 100 AE 12	120		
11	SGC 110 AE 12	120		
12,5	SGC 125 AE 12	120		

Schlüter®-DECO-SGC-AE		
anodised aluminium, B = 15 mm		
H (mm)	L = 2.50 m ArtNo.	KV (Unit)
8	SGC 80 AE 15	120
10	SGC 100 AE 15	120
11	SGC 110 AE 15	120
12,5	SGC 125 AE 15	120





Additional system products


Reliable waterproofing of ceramic tile coverings in wetrooms is one of our areas of specialty. Because we focus on the design of entire systems, we provide solutions that are far more than just functional. Our products, such as waterproofing membranes, sealing adhesive, seaming tapes, and pre-fabricated parts are precisely matched down to the last detail, helping you create truly waterproof coverings.



Schlüter®-KERDI: Bonded waterproofing assembly

Schlüter-KERDI is a polyethylene, water-proofing mat with an anchoring fleece on both sides. It is suitable for waterproofing in conjunction with tiled surfaces on walls and floors. The high water vapour diffusion resistance of Schlüter-KERDI-DS makes it suitable as a vapour barrier in bonded floor assemblies with tile coverings.

(Product data sheet 8.1)



Schlüter®-KERDI-200				
polyethylene rolls				
L (m) m ² width = 1.00 m P ArtNo. (Ro				
5	5	KERDI 200 / 5M	75	
10	10	KERDI 200 / 10M	50	
30	30	KERDI 200	20	
		width = 1.50 m		
20	30	KERDI 200 150 / 20M	20	
		width = 2.00 m		
15	30	KERDI 200 200 / 15M	20	




Schlüter®-KERDI-DS				
polyethylene rolls, vapour barrier				
L (m) width = 1.00 m PL ArtNo. (Roll)				
30	KERDI-DS	25		

Schlüter®-KERDI-KEBA

Schlüter-KERDI-KEBA is a sealing band to seal mat connections and wall to floor connections.

(Product data sheet 8.1)






Schlüter®-KERDI-KEBA				
polyethylene rolls				
B (mm) Roll = 30 m ArtNo.		PL (Roll)		
85	KEBA 100 / 85	280		
125	KEBA 100 / 125	210		
150	KEBA 100 / 150	175		
185	KEBA 100 / 185	140		
250	KEBA 100 / 250	105		

Schlüter®-KERDI-KEBA/5M polyethylene rolls Roll = 5 m PLB (mm) Art.-No. (Roll) KEBA 100 / 85 / 5M 85 10 KEBA 100 / 125 / 5M 125 10 KEBA 100 / 150 / 5M 10 150 KEBA 100 / 185 / 5M 185 10 KEBA 100 / 250 / 5M 250 10

Schlüter®-KERDI-KERECK-F

Schlüter-KERDI-KERECK-F are completely seam sealed, pre-fabricated parts to produce internal and external corners. (Product data sheet 8.1)





H (mm)

0.1

0.1



KERECK / FI10

Schlüter®-KERDI-KERECK/FI 135°				
135° internal corner, pre-fabricated				
H (mm) Set = 2 units ArtNo. P (Se				
0.1	KERECK 135 FI2	10		

Schlüter®-KERDI-KERECK

Schlüter-KERDI-KERECK are pre-cut sections used to produce internal and external corners. They are also suitable for corner formations that are not perfectly square. (Product data sheet 8.1)





10


Schlüter®-KERDI-KERECK/A					
90° external corner, pre-cut section					
H (mm) Set = 5 units P (Set					
0.1	KERECK 5 A 10				

Schlüter®-KERDI-KERECK/I				
90° internal corner, pre-cut section				
H (mm) Set = 5 units ArtNo.		P (Set)		
0.1	KERECK 5 I	10		



Schlüter®-KERDI-FLEX

Schlüter-KERDI-FLEX is a waterproofing band for sealing movement joints. (Product data sheet 8.1)





Schlüter®-KERDI-FLEX				
polyethylene rolls				
B (mm) Roll = 30 m PL ArtNo. (Roll				
125	FLEX 125 / 30	210		
250	250 FLEX 250 / 30 150			


Schlüter®-KERDI-FLEX/5M				
polyethylene rolls				
B (mm) Roll = 5 m P ArtNo. (Rol				
125 FLEX 125 / 5M 10				
250 FLEX 250 / 5M 10				

Schlüter®-KERDI-KERS

Schlüter-KERDI-KERS are seam sealed pre-fabricated parts for secure waterproofing of corner areas of Schlüter-KERDI-SHOWER.

(Product data sheet 8.1)





G.

Schlüter-KERDI-KERS left

Schlüter-KERDI-KERS right

Schlüter®-KERDI-KERS					
90° interna	90° internal corner, pre-fabricated, left				
H (mm) ArtNo.					
20	KERS 20 L	10			
28	KERS 28 L	10			

Schlüter®-KERDI-KERS					
90° internal corner, pre-fabricated, right					
H (mm) ArtNo.		P (Unit)			
20	KERS 20 R	10			
28	KERS 28 R	10			

Note:

Schlüter-KERDI-KERS 20 products are suitable for showers with side lengths of 80 –110 cm.

Schlüter-KERDI-KERS 28 products are suitable for showers with side lengths of 110 –150 cm

Schlüter®-KERDI-KM

Schlüter-KERDI-KM are pre-fabricated collars for pipe openings. (Product data sheet 8.1)

Schlüter®-KERDI-KM			
pipe collar x 22 mm for 25 mm pipes			
H (mm)	Set = 5 St. ArtNo.	P (Set)	
0.1	KM 5117 / 22	10	



Schlüter®-KERDI-MV

Schlüter-KERDI-MV are prefabricated collars for DIN 18534-compliant waterproofing of pipe penetrations. Thanks to their fleece-free inner zone, the collars are suitable for use with multiple pipe diameters (see table). (Product data sheet 8.1)

Schlüter®-KERDI-MV


collar with	floored from	inner zone	(includore '	1 .unit\
Collai Willi	meece-mee	HILLEL ZOLLE	(IIICIUUES.	ı uılıı


Ø mm	For pipe diameter (mm)	ArtNo.	P (Unit)
9	12 – 30	KMV 9	10
15	22 – 40	KMV 15	10
21	30 – 60	KMV 21	10
35	45 – 80	KMV 35	10
65	75 – 140	KMV 65	10
15	22 – 40	KMV 15 D	10



collar with fleece-free inner zone (includes: 10 units)

Ø mm	For pipe diameter (mm)	ArtNo.	P (Package)
15	22 – 40	KMV 15/10	10
15	22 – 40	KMV 15 D/10	10

















* centre line 150 mm

Schlüter®-KERDI-PAS

Schlüter-KERDI-PAS sets comprise a pre-fabricated collar and a special plastic sleeve. The collar and this special sleeve are attached at pipe protrusions for secure waterproofing (DIN 18534) of installed plumbing components. The collar and this special sleeve are attached at pipe protrusions to enable safe DIN 18534-compliant waterproofing of the subsequently installed tap extension. (Product data sheet 8.1)

Schlüter®-KERDI-PAS

set incl. collar and installation aid (includes: 1 set)

Ø mm	For pipe diameter (mm)	ArtNo.	P (Set)
15	22 – 40	KMV 15 PAS	10
15	22 – 40	KMV 15 D PAS	10

Schlüter®-KERDI-PAS

set incl. collar and installation aid (includes: 10 sets)

		•	
Ø mm	For pipe diameter (mm)	ArtNo.	P (Package)
15	22 – 40	KMV 15 PAS/10	10
15	22 – 40	KMV 15 D PAS/10	10








* centre line 150 mm



Schlüter®-KERDI-TS

Schlüter-KERDI-TS is a set for the reliable waterproof connection of building components such as bathtubs and shower trays made of steel enamel, acrylic or mineral casting to the Schlüter-KERDI waterproofing system. It includes a sealing tape made of polyethylene with double-sided fleece fabric and self-adhesive sound insulation strip, Schlüter-KERDI-FIX installation adhesive, cleaning cloths as well as installation corner piece(s).





(Product data sheet 8.9)

Schlüter®-KERDI-TS		
complete set for waterproof connection		
L (m)	ArtNo.	P (Set)
2	KE TS / 200	10
2.8	KE TS / 280	10
3.8	KE TS / 380	10



Complete set includes:

- 2 / 2.8 / 3.8 m sealing tape
- 290 ml Schlüter-KERDI-FIX installation adhesive
- 2 cleaning cloths
- 1 / 2 / 2 corner piece(s)

Schlüter®-KERDI-TSB basic set for waterproof connection L (m) Art.-No. P (Set) 10 KE TSB / 1000 10



Basic set includes:


- 10 m sealing tape
- 8 cleaning cloths
- 6 corner pieces




Schlüter®-KERDI-CP

Schlüter-KERDI-CP is a cutting protection that can be shortened to any length and protects the connection seal when the silicone joint is renovated at a later time. The versatile folding profile can be installed directly in the adhesive bed or into freshly applied Schlüter-KERDI-FIX.

(Product data sheet 8.9)










Schlüter®-KERDI-TS-ZC

Schlüter-KERDI-TS-ZC is an expansion set for the reliable waterproof connection of building components such as bathtubs and shower trays for special installation situations (see drawing) in connection with the Schlüter-KERDI-TS waterproofing set. It consists of a waterproofing collar and a corner installation piece.

(Product data sheet 8.9)







installation examples

The expansion set comprises the following components:


- 1 PE collar, fleece-laminated on both sides, 120 x 120 mm
- 1 corner installation piece




Schlüter®-KERDI-COLL-L


Schlüter-KERDI-COLL-L is a two component sealant adhesive based on a solvent-free acrylate dispersion and a reactive cementitious powder. It is suitable for adhering and sealing overlaps of Schlüter-KERDI membranes. In addition, KERDI-COLL-L is used to tightly adhere the seaming tape Schlüter-KERDI-KEBA on KERDI, Schlüter-DITRA 25, and Schlüter-DITRA-HEAT as well as on Schlüter-BARA edging profiles.

(Product data sheet 8.4)









Note:

Installation time at 20/30°C approx. 90/60 min. Hardening times are significantly longer in cool temperatures.

Schlüter®-KERDI-FIX

Schlüter-KERDI-FIX is an MS polymer based elastic adhesive. It is suited for adjoining profiles and Schlüter-KERDI-BOARD as well as sealing the abutments and joint areas of Schlüter-KERDI waterproofing membrane sections.

(Product data sheet 8.3)





Schlüter®-KERDI-FIX		
MS polymer adhesive		
cartridge = 290 ml ArtNo.	P (Unit)	
KERDIFIX / BW	12	
KERDIFIX / G	12	




Sound insulation in level entry showers

Whether pattering water drops or the sound of putting down shampoo or body lotion bottles – showers generate noise that can be bothersome to others. Schlüter-KERDI-LINE-SR is an effective sound insulation for our popular Schlüter-KERDI-LINE linear drainage solutions. Please refer to our planning materials to learn more about installing the product in compliance with the applicable sound insulation standards.



Sound transmission from the shower



Schlüter®-KERDI-LINE-SR effectively reduces:



Installation noises



Impact sound




Usage noises

Schlüter®-KERDI-LINE-SR

Schlüter-KERDI-LINE-SR is an insulating membrane made of a special fleece fabric with noise-reducing properties. When properly installed, assemblies with Schlüter-KERDI-LINE and KERDI-LINE-SR meet the requirements of DIN 4109 standards to comply with noise insulation in shower areas.


(Product data sheet 8.7)





Note:

Please refer to our planning materials for system assemblies.



Schlüter®-KERDI-LINE-SR		
PES fleece membrane (contains: 4 membranes)		
ArtNr.	P (Unit)	
KL SR 1000	5	
	membrane membranes) ArtNr.	

Dimensions of individual mats: $0.5 \text{ m} \times 0.5 \text{ m} = 0.25 \text{ m}^2$

Schlüter®-DITRA-SOUND-KB		
joint covering strip		
38 mm x 50 m ArtNo.	P (Unit)	
DS KB 38	10	



Learn more online

Would you like to know more about Schlüter-Systems? The quickest way is to visit our website.





You can also follow us on Instagram, Facebook and YouTube.















PROFILE OF INNOVATION