SIMPLE - CLEAN - QUICK Schlüter®-DITRA-HEAT PEEL & STICK





Quick and easy installation of DITRA-F

With suitable substrates, a peel & stick variant is an especially easy alternative to conventional DITRA-HEAT that saves valuable time and materials. Since the new DITRA-HEAT-PS (Peel & Stick) features a fleece covered in pressure sensitive adhesive laminated to the underside, no tile adhesive is required underneath the mat. That makes the installation especially easy and saves significant amounts of materials and time. All other functions of the proven DITRA-HEAT mat remain unchanged.



SIMPLE

Peel off the recyclable release film and set in place (mat can be repositioned until pressure is exerted).



CLEAN

No mixing and spreading of tile adhesive, no trowels, buckets, and tools to clean.



QUICK

No mixing and spreading of tile adhesive, immediately load bearing after installation and ready to tile straight away.



IEAT thanks to peel & stick technology

All the benefits at a glance:

- ✓ Anchoring fleece with pressure sensitive adhesive
- ✓ Quick and easy to install
- ✓ Easy to reposition during installation
- ✓ Suitable for many substrates (eg. plywood, P4 & P5 chipboard, tile backer boards)
- ✓ Saves time and materials.
- ✓ Immediately load bearing after installation
- ✓ Uncouples the covering from the substrate
- ✓ Easy installation of matching heating cables
- ✓ Also available as DITRA-HEAT-DUO-PS with additional impact sound insulation and faster heat up response

AVAILABLE SIZES Schlüter®-DITRA-HEAT-PS Rolls: 12.76 x 0.98 m = 12.5 m² Mats: 0.80 x 0.98 m = 0.78 m² Schlüter®-DITRA-HEAT-DUO-PS Rolls: 10.2 x 0.98 m = 10.0 m² Mats: 0.80 x 0.98 m = 0.78 m²

Find out more

DITRA-HEAT-PS /-DUO-PS Installation





Schlüter-Systems KG · Schmölestraße 7 · D-58640 Iserlohn
Tel.: +49 2371 971-261 · Fax: +49 2371 971-112 · www.schlueter-systems.com