

according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Schlüter®-CLEAN Reinigungstuch

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cleaning agent.

# Uses advised against

None known. Only use for the intended purpose.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	Schlüter-Systems KG Schmölestraße 7 D-58640 Iserlohn	
Telephone: e-mail: e-mail (Contact person): Internet: Responsible Department:	+49 (0)2371 971-0 info@schlueter.de sdb@schlueter.de www.schlueter.de International Technical Network (ITI	Telefax:+49 (0)2371 971-111 N)
<u>1.4. Emergency telephone</u> number:	5,	a medical enquiry involving this product, hospital accident and emergency department

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

Signal word: Warning

#### **Pictograms:**



# Hazard statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container according to regional/national regulations. Do not discard



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 2 of 12

with household waste.

#### Special labelling of certain mixtures

Read attached instructions before use.

#### 2.3. Other hazards

The product does not meet the PBT or vPvB criteria in Annex XIII of the REACH Regulation.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Chemical name					
	EC No	Index No	REACH No				
	GHS Classification						
64-17-5	64-17-5 Ethanol, ethyl alcohol						
	200-578-6	603-002-00-5	01-2119457610-43				
	Flam. Liq. 2, Eye Irrit. 2; H	I225 H319					
67-63-0	0 propan-2-ol; isopropyl alcohol; isopropanol						
	200-661-7	603-117-00-0	01-2119457558-25				
	Flam. Liq. 2, Eye Irrit. 2, S	STOT SE 3; H225 H319 H336					

Full text of H and EUH statements: see section 16.

# Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concen	tration limits and M-factors	
64-17-5	200-578-6 Ethanol, ethyl alcohol		10-30 %
	Eye Irrit. 2; H31	9: >= 50 - 100	

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First-aider: Pay attention to self-protection!

#### After inhalation

There are no health risks when used and handled properly.

If irritations or allergic reactions should occur as a consequence of handling the product (particularly if large quantities have been inhaled): Keep the person concerned calm and call a medic immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

Remove contact lenses. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Seek medical attention if problems persist.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Irritations upon eye contact and irritations/allergic reactions upon contact with skin.

Under normal usage conditions, the unlikely intake of large doses orally: damage to various organ systems. Aspiration pneumonia, acceleration of the heart, CNS depression, dizziness, inebriation, headache,



according to Regulation (EC) No 1907/2006

### Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 3 of 12

intoxication, nausea, loss of consciousness.

#### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray.

Fight larger fires with water spray jet or alcohol-resistant foam.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Nitrogen oxides (NOx). Vapours are heavier than air and will spread at floor level. The product is highly flammable and can promote the spread of fire.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Protective clothing.

# Additional information

Suppress gases/vapours/mists with water spray jet.

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Personal protection equipment: see section 8 Handling and storage: see section 7 For waste disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Consider general workplace hygiene.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

#### Further information on handling

Avoid eye contact.

# 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 4 of 12

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep only in the original container.

# Hints on joint storage

Store seperately from foodstuff.

Do not expose product to direct sunlight or extreme heat. Do not store or use near or in direct proximity to open fire or heating sources.

# Further information on storage conditions

Protect from sunlight and heat sources. Avoid ignition sources.

# 7.3. Specific end use(s)

Cleaning agent.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-17-5	Ethanol, ethyl alcohol			
Worker DNEL	, acute	inhalation	local	1900 mg/m <sup>3</sup>
Worker DNEL	, long-term	dermal	systemic	343 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	950 mg/m³
Consumer DN	IEL, acute	inhalation	local	950 mg/m³
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	114 mg/m <sup>3</sup>
Consumer DN	IEL, acute	oral	systemic	87 mg/kg bw/day
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Worker DNEL	, long-term	inhalation	systemic	500 mg/m³
Worker DNEL	, long-term	dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	319 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	26 mg/kg bw/day

according to Regulation (EC) No 1907/2006

Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 5 of 12

#### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
64-17-5	Ethanol, ethyl alcohol	
Freshwater		0,96 mg/l
Marine wate	r	0,79 mg/l
Freshwater	sediment	3,6 mg/kg
Marine sedi	nent	2,9 mg/kg
Secondary poisoning		0,72 mg/kg
Soil		0,63 mg/kg
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Marine wate	r	140,9 mg/l
Freshwater	Freshwater sediment	
Marine sediment		552 mg/kg
Secondary p	Secondary poisoning	
Soil		28 mg/kg

# Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

## 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation.

### Protective and hygiene measures

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

# Eye/face protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling): Tightly sealed safety glasses.

# Hand protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling):

By repeated application: chemically impervious safety gloves made of fluorinated rubber (0.4 mm) or butyl rubber (0.5 mm) (breakthrough time >480 min).

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling): Protective clothing.

# **Respiratory protection**

Under normal usage conditions, not necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	various
Odour:	like: Alcohol.

# Schlüter Systems

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

	chlüter®-CLEAN Reinigungstuch	D 0 4 40
Revision date: 29.04.2021	Product code: SSYS-006	Page 6 of 12
pH-Value:	No data available	
Changes in the physical state		
Melting point:	No data available	
Initial boiling point and boiling range:	>35 °C	
Flash point:	>23 °C	
Flammability Solid:	No data available	
Explosive properties No data available		
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Ignition temperature:	No data available	
Auto-ignition temperature		
Solid:	No data available	
Decomposition temperature:	No data available	
Oxidizing properties No data available		
Vapour pressure:	No data available	
Density:	No data available	
Water solubility:	No data available	
Solubility in other solvents No data available		
Partition coefficient:	No data available	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Vapour density:	No data available	
Solvent separation test:	No data available	
9.2. Other information		
No data available		

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactivity under regular conditions.

# 10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

### 10.3. Possibility of hazardous reactions

When properly used, no hazardous reactions are expected.

### 10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Electrostatic charges.

# 10.5. Incompatible materials

Oxidizing agents, strong.

# 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Irritating/poisonous gasses and vapours.



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 7 of 12

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met. Effects caused by the "ethanol" ingredient:

Acute effects/symptoms (after inhalating or being exposed to high concentrations): Dry / sore throat, coughing, irritation of the respiratory tract, nasal mucosa, respiratory difficulty, CNS depression; similar symptoms like after swallowing

Acute effects / symptoms (after swallowing; massive ingestion)

Risk of aspiration pneumonia, red skin color, body temperature increases, moist / clammy skin, agitation / restlessness, acceleration of the heart, CNS depression, dizziness, inebriation, headache, intoxication, nausea, vomiting, abnormal reflexes, impaired coordination, blurred vision, difficulty concentrating, hallucinations, impaired pain sensitivity, cardiac arrhythmia, disturbance of consciousness, tremors, seizures / involuntary muscle contractions, dilated pupils

Acute effects/symptoms (after eye contact): Redness of the eye tissue. Lacrimation.

Acute effects/symptoms (after skin contact): slight irritation

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	Ethanol, ethyl alcohol					
	oral	LD50 mg/kg	10470	Ratte	supplier statement	OECD 401
	dermal	LD50 mg/kg	15800	Rabbit		
	inhalation (4 h) vapour	LC50	>51 mg/l	Ratte	supplier statement	OECD 403
67-63-0	propan-2-ol; isopropyl al	cohol; isopro	panol			
	oral	LD50 mg/kg	5840	Rat	supplier statement	OECD 401
	dermal	LD50 mg/kg	13900	Rabbit	supplier statement	OECD 402

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 8 of 12

### **SECTION 12: Ecological information**

# 12.1. Toxicity

### No data available.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
64-17-5	Ethanol, ethyl alcohol	Ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	15300	96 h	Pimephales promelas (fathead minnow)	supplier statement			
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	supplier statement			
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	supplier statement			
	Crustacea toxicity	NOEC	9,6 mg/l		Daphnia magna (Big water flea)				
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol						
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas (fathead minnow)	supplier statement			
	Acute crustacea toxicity	EC50 mg/l	9714	48 h	Daphnia magna (Big water flea)	supplier statement			
	Algae toxicity	NOEC mg/l	1800		Scenedesmus quadricauda				

# 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol, ethyl alcohol	-0,31
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	Ethanol, ethyl alcohol	1 - 4,5	Cyprinus carpio (Common Carp)	

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

# 12.6. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Small quantities may be diluted with water and washed away. Larger quantities must be disposed properly according to local regulations.

According to the European Waste Catalogue (EWC), allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 9 of 12

# List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Recommended cleaning agent: Water (with cleaning agent)

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1L
Excepted quantity: Transport category:	E2 2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	1
Hazard label:	3
	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
	3



according to Regulation (EC) No 1907/2006

Schlüter®-CLEAN Reinigungstuch		
Revision date: 29.04.2021	Product code: SSYS-006	Page 10 of 12
Special Provisions:	144	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L 364	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	584 60 L	
	00 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No special precautions known.		
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		
not applicable		

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

EO regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3	
2010/75/EU (VOC):	40 %
2004/42/EC (VOC):	40 %
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS

# Additional information

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

# Schlüter Systems

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 11 of 12

### National regulatory information

Water hazard class (D): Additional information

1 - slightly hazardous to water

# Observe in addition any national regulations!

# 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Ethanol, ethyl alcohol

propan-2-ol; isopropyl alcohol; isopropanol

# **SECTION 16: Other information**

### Changes

Version 1,00 - 01.04.2020 - Creation

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act CAS: Chemical Abstracts Service DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization) EC: Effective Concentration EG: European Community (Europäische Gemeinschaft) EN: European Norm IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization CLP: Classification, Labeling, Packaging IUCLID: International Uniform ChemicaL Information Database LC: Lethal concentration LD: Lethal dose log Kow: Octanol/water partition coefficient MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships OECD: Organisation for Economic Co-operation and Development PBT: Persistent, bio-cumulative, toxic RID: Regulation Concerning the International Transport of Dangerous Goods by Rail TRGS: Technische Regeln für Gefahrstoffe **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bio-cumulative WGK: German Water Hazard Class GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances **DNEL: Derived No Effect Level** PNEC: Predicted No Effect Concentration TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity AwSV: Ordinance on Installations for Handling Substances Hazardous to Water



according to Regulation (EC) No 1907/2006

# Schlüter®-CLEAN Reinigungstuch

Revision date: 29.04.2021

Product code: SSYS-006

Page 12 of 12

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method

# Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### **Further Information**

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)