

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Schlüter KERDI-COLL-RL**

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Schlüter KERDI-COLL-RL

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Adhesives, sealants

Reactive powder for KERDI-COLL-L

**Uses advised against**

Only use for the intended purpose.

The product is intended for professional use.

**1.3. Details of the supplier of the safety data sheet**

Company name: Schlüter-Systems KG

Street: Schmölestraße 7

Place: D-58640 Iserlohn

Telephone: +49 (0)2371 971-0

Telefax: +49 (0)2371 971-111

e-mail: info@schlueter.de

e-mail (Contact person): sdb@schlueter.de

Internet: www.schlueter.de

Responsible Department: International Technical Network (ITN)

**1.4. Emergency telephone number:**

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Cement, portland, chemicals

**Signal word:** Danger**Pictograms:****Hazard statements**

H318 Causes serious eye damage.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 2 of 10

P501 Do not discard content/container with household waste and forward for disposal according to regional/national guidelines.

#### Special labelling of certain mixtures

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3. Other hazards

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight). If stored properly (dry) and used within the indicated storage time, a sensitizing effect of the cement/binding agent in case of contact with the skin can be ruled out (H317 or EUH203 can thus be omitted).

May cause skin irritation.

The components in this mixture do not meet the criteria for classification as PBT or vPvB .

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7778-18-9	Calcium sulfate			>10 - < 30 %
	231-900-3		01-2119444918-26	
65997-15-1	Cement, portland, chemicals			>3 - <10 %
	266-043-4			
	Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, STOT SE 3; H315 H318 H317 H335			
13463-67-7	titanium dioxide			< 1 %
	236-675-5		01-2119489379-17	
	Carc. 2; H351			
7632-00-0	sodium nitrite			< 1 %
	231-555-9	007-010-00-4	01-2119471836-27	
	Ox. Sol. 3, Acute Tox. 3, Aquatic Acute 1; H272 H301 H400			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

##### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

##### After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Schlüter KERDI-COLL-RL**

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 3 of 10

skin with a mild cleansing agent and water. Seek medical attention if problems persist.

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If possible, use isotonic eye wash solution (0.9% NaCl). Subsequently, transport to an ophthalmologist/ to hospital as quickly as possible.

**After ingestion**

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Following eye contact: Causes serious eye damage.

After skin contact: May cause skin irritation. May produce an allergic reaction. Longer exposure may cause skin irritation and skin inflammation (dermatitis).

acute effects / symptoms: irritant to corrosive effects on eyes, respiratory tract and skin, damage to the gastrointestinal tract when ingested orally, Allergic reactions

chronic effects / symptoms: Irritant effect on the respiratory tract

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

The mixture is not flammable, explosive or auto-flammable.

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to harmful gases and vapours.

**5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Do not allow to enter into surface water or drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up**

Take up dust-free and set down dust-free. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal precautions: refer to section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Wear personal protection equipment. Avoid contact with skin, eyes and clothes.

**7.2. Conditions for safe storage, including any incompatibilities**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 4 of 10

#### Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Keep locked up and out of the reach of children.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

#### Further information on storage conditions

Incompatible materials: Aluminium

#### 7.3. Specific end use(s)

Adhesives, sealants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
65997-15-1	Portland cement, respirable dust	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
13463-67-7	titanium dioxide			
Worker DNEL, long-term		inhalation	local	10 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	700 mg/kg bw/day

##### PNEC values

CAS No	Substance	Value
13463-67-7	titanium dioxide	
Freshwater		0,127 mg/l
Marine water		1 mg/l
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Freshwater sediment		1000 mg/kg
Marine sediment		100 mg/kg
Soil		100 mg/kg

#### Additional advice on limit values

The content of soluble chromium (VI) must be kept below 2ppm (REACH, Annex XVII, Entry 47).

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide washing facility at the workplace. If larger quantities are handled, provide emergency showers. Provide eye wash stations. These locations must be signposted prominently.

##### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

##### Eye/face protection

Tightly fitting safety glasses with side shields.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 5 of 10

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Tested protective gloves are to be worn:

Recommended material: NBR (Nitrile rubber) (1 mm, Permeation level: 6 (>480min))

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Full cover clothing covering arms and legs. Avoid contact with skin.

#### Respiratory protection

Filtering Half-face mask (DIN EN 149), Type P1 / P2

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid (Powder)	
Colour:	grey	
Odour:	mineral	
pH-Value:		11,5

#### Changes in the physical state

Melting point:		>1250 °C
Initial boiling point and boiling range:		not determined
Flash point:		not determined

#### Flammability

Gas:		not determined
------	--	----------------

#### Explosive properties

not determined

Lower explosion limits:		not determined
Upper explosion limits:		not determined
Ignition temperature:		not determined

#### Auto-ignition temperature

Gas:		not determined
Decomposition temperature:		not determined

#### Oxidizing properties

not determined

Vapour pressure:		not determined
Density (at 25 °C):		2,75 - 3,20 g/cm <sup>3</sup>
Bulk density:		900 - 1300 kg/m <sup>3</sup>
Water solubility:		0,1 - 1,5 g/L
Viscosity / kinematic:		not determined
Vapour density:		not determined

### 9.2. Other information

No further information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 6 of 10

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactivity under regular conditions.

### 10.2. Chemical stability

The product is stable under regular conditions.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Water contact.

After contact with water: The product hardens to a solid mass.

### 10.5. Incompatible materials

Strong acid. Aluminium ammonium salts

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

In case of fire: It may produce hazardous fumes like carbon monoxide or carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
13463-67-7	titanium dioxide					
	oral	LD50 >5000 mg/kg	Rat			
	dermal	LD50 >5000 mg/kg	Rabbit			
	inhalation (4 h) aerosol	LC50 >6,8 mg/l	Rat			
7632-00-0	sodium nitrite					
	oral	LD50 180 mg/kg	Rat	GESTIS		

#### Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 7 of 10

#### 12.1. Toxicity

No data available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
13463-67-7	titanium dioxide					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 16 mg/l	72 h	Pseudokirchneriella subcapitata	literature value	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
7632-00-0	sodium nitrite					
	Acute fish toxicity	LC50 0,56 - 1,78 mg/l	96 h	Onchorhynchus mykiss		

#### 12.2. Persistence and degradability

The product is not biodegradable.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7632-00-0	sodium nitrite	-3,7

#### 12.4. Mobility in soil

The product hardens to a solid immobile mass.

#### 12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Disposal according to official regulations. Do not dispose with household waste. Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

##### List of Wastes Code - residues/unused products

170101 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; Concrete

##### List of Wastes Code - used product

101314 WASTES FROM THERMAL PROCESSES; wastes from manufacture of cement, lime and plaster and articles and products made from them; waste concrete and concrete sludge

##### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Recommended cleaning agent: Water, if necessary with cleaning agent.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Schlüter KERDI-COLL-RL**

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 8 of 10

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No special precautions known.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 47

2004/42/EC (VOC): &lt; 3%

**Additional information**

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Schlüter KERDI-COLL-RL

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 9 of 10

#### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

#### Additional information

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

Version 1,00 - Creation - 16.05.2018

Version 1,02 - General update - 14.04.2021

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform Chemical Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

VwVwS: Administrative Regulation for Water Pollutants

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value

STOT: Specific Target Organ Toxicity

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H315 Causes skin irritation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Schlüter KERDI-COLL-RL**

Revision date: 14.04.2021

Product code: RCSO-SSYS-004

Page 10 of 10

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

**Further Information**

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

assesso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@assesso.eu, www.assesso.eu

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*